

# SET-UP SHEET

XB2'24 SET-UP SHEET VER. 1 ©XRAY 2023

**XRAY XB2'24**

RACE	Jconcepts ins		
TRACK	Rc one		
NAME	Jeff statkiewicz	DATE	2024-03-26

LAPS		BEST LAP TIME	
QUALIFYING POSITION	2nd	FINAL POSITION	1st

TRACK			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
BALL DIFF	<input type="checkbox"/>	GEAR DIFF	<input type="checkbox"/>
ACTIVE DIFF	<input checked="" type="checkbox"/>		
DIFFERENTIAL	OIL 500k cSt		
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	GEARS 2 <input checked="" type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	Tight mm	NUT	2-PAD SLIPPER CLUTCH PLATES
SOLID AXLE	<input type="checkbox"/>	KIT <input checked="" type="checkbox"/>	VENTILATED <input type="checkbox"/>

GEARING			
PINION	33	SPUR GEAR	75
TYPE	GEAR BOX		
FRONT LCG	<input checked="" type="checkbox"/>	REAR LCG	<input type="checkbox"/>
HARDNES	KIT <input checked="" type="checkbox"/>	GRAPHITE	<input type="checkbox"/>

FRONT	SHOCKS	REAR
3 dot	SPRINGS	3dot
cSt 350	OIL	cSt 300
2 HOLES <input type="checkbox"/>	<input type="checkbox"/> ø1.6mm <input type="checkbox"/>	2 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm	<input type="checkbox"/> ø1.8mm <input type="checkbox"/>	<input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm
3x1.5 HOLES		3x1.6 HOLES
Thickness <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm		Thickness <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 2.5mm
Precision <input checked="" type="checkbox"/> KIT		Precision <input checked="" type="checkbox"/> KIT
DOWNSTOP SHIM		DOWNSTOP SHIM
LENGTH 23 mm		LENGTH 27 mm
UPSTOP SHIM		UPSTOP SHIM
0mm <input checked="" type="checkbox"/> -2mm <input type="checkbox"/> -4mm <input type="checkbox"/>		0mm <input checked="" type="checkbox"/> -2mm <input type="checkbox"/> -4mm <input type="checkbox"/>
KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>		KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BALL JOINT		BALL JOINT
<input type="checkbox"/> +4mm <input type="checkbox"/> +2mm <input checked="" type="checkbox"/> KIT		<input type="checkbox"/> +4mm <input type="checkbox"/> +2mm <input checked="" type="checkbox"/> KIT

FRONT	ANTI ROLL BAR	REAR
1.1 mm	THICKNESS	1.3 mm

FRONT	TIRES	REAR
Jc	BRAND	Jc
Pink	COMPOUND	Pink
Cut 3/4	INSERTS	Cut 3/4
Jc	WHEELS	Jc

ELECTRONICS			
MOTOR	Exalt phoenix	Tekin	SPEEDO
MOTOR TIMING	53.5	Exalt 4400 full	BATTERY

BODY	TOTAL WEIGHT
Kit <input type="checkbox"/> LIGHT <input type="checkbox"/>	1479 /g

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
<b>CASTER BLOCK</b> MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU C-HUB <input type="checkbox"/> UP /mm DOWN /mm	<b>LONGER BUSHINGS</b> UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	<b>SHOCK TOWER</b> KIT <input checked="" type="checkbox"/> 4.0mm 3.5mm
<b>STEERING BLOCK</b> MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	<b>SHIM</b> 1 /mm CAMBER LINK LOCATION	<b>SHIM</b> 0 /mm <b>DRIVE SHAFT</b> <input checked="" type="checkbox"/> KIT /mm <b>SHIM</b> 3 /mm <b>REAR UPRIGHT</b> HIGH <input type="checkbox"/> LOW <input checked="" type="checkbox"/>
<b>ARM MOUNT</b> 0° <input type="checkbox"/> KIT 0° <input type="checkbox"/> ALU -3° <input type="checkbox"/> ALU +3° <input type="checkbox"/> ALU 0° <input checked="" type="checkbox"/> BRASS TOTAL <input type="checkbox"/> KICK-UP°	<b>FRONT WING</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> KIT <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SHIM 3 /mm ACKERMANN SHIM 2 /mm CASTER BUSHINGS 0° 2.5° 5° 0° <input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 5° <input type="checkbox"/>	<b>WING TYPE</b> Jc 7 inch CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> <b>WING POSITION</b> UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>

FRONT	REAR
<b>ARM MOUNT 0° + CASTER BUSHING 0° = TOTAL 22° KICK-UP</b>	<b>WING TYPE</b> Jc 7 inch CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> <b>WING POSITION</b> UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>

FRONT TOE	REAR TOE
0	1
OUT	IN
<b>OFFSET</b> 1 /slots <b>WHEELBASE</b> 2 /mm <b>ROLL CENTER</b> KIT <input checked="" type="checkbox"/> ALU <input checked="" type="checkbox"/>	<b>OFFSET</b> 4 /slots <b>WHEELBASE</b> 3 /mm <b>ROLL CENTER</b> KIT <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
<b>STEERING</b> PLATE <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/> ARMS <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/>	<b>BATTERY PLACEMENT</b> LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/> <b>BATTERY SIZE</b> <input checked="" type="checkbox"/> STD. SHORT <input type="checkbox"/> LOW SHORT <b>UPPER BRACE</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> <b>COOLING</b> FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>

FRONT	REAR
<b>RF</b> 0.5° <input type="checkbox"/> 1° <input type="checkbox"/> <b>RR</b> 0.5° <input type="checkbox"/> 1° <input type="checkbox"/>	<b>ALU REAR LOWER SUSPENSION HOLDER</b> 1° - REAR Raising the suspension holders with shims.

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
2 °	2	2
<b>GLUING SIDEWALL</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	<b>CUTTING PINS</b> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/>	<b>REAR ARM</b> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
<b>FRONT ARM</b> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	<b>RISE HEIGHT</b> 14 /mm #10721 GAUGE	<b>RISE HEIGHT</b> 14 /mm

SERVO WEIGHT	LOWER ECCENTRIC SHOCK BALL	ARM SHIM
STANDARD <input type="checkbox"/> LOW PROFILE <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	0 /mm
<b>ARM MOUNT BALANCE</b> #293085 HUDY Pure Tungsten Weight - 10g.	<b>ELECTRONICS PLATE</b> NO <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> WEIGHT <input type="checkbox"/>	<b>CHASSIS SIZE</b> SHORT <input type="checkbox"/> MID-SIZE <input checked="" type="checkbox"/> LONG <input type="checkbox"/> <b>THICKNESS</b> 2.5mm KIT <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>