

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	5 Runda Milansport XRS				
TRACK					
NAME	Filip Bortoli	DATE	21.4		
QUAL POSITION	2	FINAL POSITION	2	BEST LAPTIME	11.4 /sec
LAPS	27 / 5.01				

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT		TRANSMISSION		REAR	
GEAR DIFF OIL	/cSt	<input checked="" type="checkbox"/> FRONT SOLID AXLE		GEAR DIFF OIL	7K /cSt
PINION	38 /T	SPUR GEAR	100 /T	FINAL DRIVE RATIO	

FRONT		SHOCKS		REAR	
2.5-2.8		XRAY SPRINGS		2.6	
350		OIL /cSt		350	
0		REBOUND %		0	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOAM INSERTS		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	
SHOCK LENGTH		8,5 /mm		SHOCK LENGTH	
1.3		THICKNESS/mm		1.2	

Hudy 28C	TIRES	Hudy 28C
Hudy Red	ADDITIVE	Hudy Red
12min	ADDITIVE TIMING	12min
1min	WIPE OFF TIME	1min
Timing:	Temp.:	Timing:
FRONT LEFT	FRONT RIGHT	REAR LEFT
TREATED AREA		REAR RIGHT

TOTAL WEIGHT	1301 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
--------------	---------	----------------	------------	-----------

MOTOR	Juststock 13,5 G2.1	TIMING	fix
ESC	HW 100A	BATTERIES	Nosram 6100
BODY	Wolverine	WING	std

65 /mm	Dimension from body post to window bottom line	BODY POSITION
6+oring	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
52 /mm	Dimension from edge to surface	

X4'23	<input checked="" type="checkbox"/> 1.6mm	<input type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'22	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 1.6mm
X4'22	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 1.6mm	<input type="checkbox"/> NONE
			<input type="checkbox"/> BEARING

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER	REAR CASTER
Adjust with eccentric bushings	Adjust with eccentric bushings
BUMP STEER	SHIM
2 /mm	7 /mm
1.5 /mm	5 /mm
FR 1.5 /mm	FR 1.5 /mm
<input checked="" type="checkbox"/> SERVO SAVER	<input checked="" type="checkbox"/> SERVO HORN
TOE GAIN	TOE IN
1.5 /mm	3 /mm
5.2 /mm	RR 3 /mm

FRONT	
2 /deg.	CAMBER
Left = Right	
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	BODY STOP
16,7 /mm	
SHOCK HOLDERS	SHIM
4 /mm	
SUSPENSION FLEX	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
DRIVE SHAFT	BEARING
58mm	59mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
6,6 /mm	DOWNSTOP

REAR	
2 /deg.	CAMBER
Left = Right	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	BODY POST
SHOCK HOLDERS	SHIM
4 /mm	
SUSPENSION FLEX	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
DRIVE SHAFT	BEARING
52mm	54mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
4,8 /mm	DOWNSTOP

FRONT TOP VIEW		REAR	
1	TOE OUT	2	TOE IN
Left = Right		Left = Right	
ACKERMANN	SHIM	SHORT LiPo BRASS WEIGHT	YES <input type="checkbox"/> NO <input type="checkbox"/>
1 /mm			
DIFF POSITION	<input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN	BRASS WEIGHT FOR MOTOR MOUNT	12
<input type="checkbox"/> +1mm			
UPPER ARM	SOFT	SHIM	UPPER ARM
MEDIUM	<input checked="" type="checkbox"/>		
STEERING BRIDGE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING	SHIM
		8.0mm	7.5mm
HUB OFFSET	STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm	SHIM	HUB OFFSET
			STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm

FRONT BOTTOM VIEW		REAR	
26 /deg.	STEER. LOCK	T-BRACE	ALU BRASS
FR	RE	MOTOR MOUNT	CHASSIS T-BRACE
SERVO HOLDER			
FRONT ARMS	MEDIUM	CHASSIS	GRAPHITE
HARD	<input checked="" type="checkbox"/>		
		ALU	1.5mm
		REAR ARMS	MEDIUM
			<input checked="" type="checkbox"/>