

SET-UP SHEET

X4F'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'24

RACE	Belgium Nats Rd1		
TRACK	Rucphen (NL)		
NAME	Delisé Nicolas	DATE	

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
	1	1	18.4 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
-------	--------------	------

GEAR DIFFERENTIAL - OIL	200k /cSt
-------------------------	-----------

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	90	4.5

FRONT	SHOCKS	REAR
2.5-.2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> PSS
SHOCK LENGTH		8.5 /mm	SHOCK LENGTH		8.5 /mm	

1.4	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.4
-----	--------------	---------------	--------------	-----

Ride	TIRES	Ride
	ADDITIVE	
	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	Ruddog 21.5	TIMING	
ESC	HW G2S Pro	BATTERIES	Nosram 4200
BODY	YRS	WING	

Dimension from body post to window bottom line	/mm	BODY POSITION
Dimension from body post to upper holder	/mm	WING SIDE PLATE
Dimension from edge to surface	/mm	YES <input type="checkbox"/> NO <input type="checkbox"/>

<input checked="" type="checkbox"/>	TOP DECK CUTTING
<input type="checkbox"/>	TOP DECK FLEX

20g in bumper

FRONT & REAR SUSPENSION	
FRONT CASTER <input type="checkbox"/> 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 1 /mm	HEIGHT /mm
SHIM /mm	TOE GAIN 6 /mm
2 /mm FF 5.2 /mm FR 2 /mm RIDE HEIGHT	2 /mm RF 5.6 /mm RR 2 /mm RIDE HEIGHT
<input type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN	

FRONT SUSPENSION	
2 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm
FRONT BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	FRONT SHOCK POSITION 1 2
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
DRIVE SHAFT <input type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE	FRONT HUB HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 5.6 /mm DOWNSTOP

REAR SUSPENSION	
2 /deg. CAMBER Left = Right	2 /mm SHIM 1 /mm
REAR SHOCK POSITION 1 2	SHIM 1 /mm
REAR HUB HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	SHIM 1 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 4.4 /mm DOWNSTOP

FRONT TOP VIEW		REAR	
1 TOE OUT Left = Right	STEERING ARM & BRIDGE <input checked="" type="checkbox"/> DUAL STD. <input type="checkbox"/> BRIDGE <input type="checkbox"/> SINGLE	2.5 TOE IN Left = Right	SHIMS /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input type="checkbox"/>	BATTERY WEIGHT PLATE	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>	ACKERMANN SHIM 1 /mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	STEERING PLATE 8.0mm <input type="checkbox"/> STD. <input checked="" type="checkbox"/> 7.5mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>

FRONT BOTTOM VIEW		REAR	
WEIGHT LEFT & RIGHT #309825 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	STEER. LOCK 26 /deg. STEER. SHIM SIZE /mm	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	CHASSIS T-BRACE
BUMPER WEIGHT #309824 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/>	CHASSIS	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>

COMMENTS