

SET-UP SHEET

XRAY XB4'20

RACE	EOS Round 1 Daun		
TRACK	EOS DAUN		
NAME	Martin Bayer	DATE	2.2.2019

LAPS		BEST LAP TIME	
QUALIFYING POSITION	8th	FINAL POSITION	

TRACK SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACK TRACTION	<input checked="" type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
TRACK SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> BUMPY
TRACK TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
TRACK CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	BALL DIFF <input type="checkbox"/>
OIL 40K cst	OIL cst	OIL 30K cst
SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
CROWN GEAR	SLIPPER	CROWN GEAR
40T <input checked="" type="checkbox"/> 41T	mm	40T <input checked="" type="checkbox"/> 41T
SLIPPER ADJUSTMENT		

GEARING		
PINION	19 T	SPUR GEAR
		81 T

FRONT	SHOCKS	REAR
5 42mm cut	SPRINGS	3 dot 57mm
cst 750	OIL	650 cst
	REBOUND	%
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.2mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> ø1.3mm	<input type="checkbox"/> 6 HOLES
	<input type="checkbox"/> ø1.4mm	
	<input checked="" type="checkbox"/> ø1.6mm	
	<input type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	mm	

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
2,0 mm	THICKNESS	2,0 mm

FRONT	TIRES	REAR
EOS	BRAND	EOS
EOS	COMPOUND	EOS
EOS	INSERTS	EOS
EOS	WHEELS	EOS

ELECTRONICS		
MOTOR	Hobbywing 5,5	HW XR10 PRO
MOTOR TIMING	30	Sunpadow
		BATTERY

ELECTRONICS LAYOUT		
MOTOR POSITION	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	
BATTERY POSITION	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	
BATTERY SIZE	STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	

COMMENTS
front short shocks rear colar -2mm

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	SHIM 2 mm	DRIVE SHAFT CVD <input type="checkbox"/> ECS <input checked="" type="checkbox"/> Length 83 /mm
LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM 4 mm	DRIVE SHAFT Length 75 /mm
LOWER SHOCK POSITION #107711 GAUGE	DOWNSTOP mm	DOWNSTOP mm

FRONT	CASTER	CASTER BLOCK	SHOCK TOWER POSITION	SHOCK POSITION	UPRIGHT WHEELBASE	OFFSET	RAISING GEARBOX
CASTER 6° <input type="checkbox"/> 9° <input checked="" type="checkbox"/> 12° <input type="checkbox"/>	CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	SHOCK TOWER POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	UPRIGHT WHEELBASE SHIM 2 /mm	OFFSET 4 /slots	RAISING GEARBOX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

FF	FR	RR	RR1
<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°
ROLL CENTER ECCENTRIC BUSHINGS			

FRONT TOE	REAR TOE
2	2
ARM SHIM 2 mm	ARM SHIM 2 mm
UPPER PLATE STANDARD <input type="checkbox"/> STEERING BRACE <input checked="" type="checkbox"/>	GRAPHITE FOR REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
STEER. PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	REAR BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>

FRONT CAMBER	FRONT ARMS	REAR ARMS	REAR CAMBER
2	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
DOWNSTOP SHIM mm	LENGTH 22 mm	DOWNSTOP SHIM mm	LENGTH 29 mm
UPSTOP SHIM 2 mm	RISE HEIGHT 13 mm	UPSTOP SHIM 1 mm	RISE HEIGHT 13 mm

BODY	CHASSIS	WING THICKNESS	WING CUTTING LINE
STANDARD <input type="checkbox"/> LIGHT <input checked="" type="checkbox"/>	STANDARD <input type="checkbox"/> 2.5mm <input checked="" type="checkbox"/>	1.0mm <input checked="" type="checkbox"/> 1.5mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>	TYPE tec
CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>	SIDE GUARDS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BALANCE g	BALANCE g