

SET-UP SHEET

XRAY XB4'20

RACE	XRS-Poland Round 4		
TRACK	Lodz		
NAME	Atlas Arena	DATE	22-23.2-20

LAPS	18	BEST LAP TIME	16.187 sec
QUALIFYING POSITION	1	FINAL POSITION	

TRACK SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACK TRACTION	<input type="checkbox"/> HIGH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
TRACK SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TRACK TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF
	<input type="checkbox"/> GRASS		
TRACK CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	BALL DIFF <input type="checkbox"/>
OIL 30 cst	OIL cst	OIL 30 cst
SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
CROWN GEAR	SLIPPER	CROWN GEAR
40T <input checked="" type="checkbox"/> 41T	mm	40T <input checked="" type="checkbox"/> 41T
SLIPPER ADJUSTMENT		

GEARING		
PINION	18 T	SPUR GEAR
		81 T

FRONT	SHOCKS	REAR
5dot	SPRINGS	4dot
cst 700	OIL	cst 600
	REBOUND	
%		%
<input checked="" type="checkbox"/> 2 HOLES	<input type="checkbox"/> ø1.2mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> ø1.4mm	<input type="checkbox"/> 6 HOLES
	<input type="checkbox"/> ø1.6mm	
	<input checked="" type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	mm	

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
1.8 mm	THICKNESS	2.0 mm

FRONT	TIRES	REAR
Schumacher	BRAND	Schumacher
	COMPOUND	
	INSERTS	Preglued
Preglued	WHEELS	Preglued

ELECTRONICS		
MOTOR	6,5	Hobbywing
MOTOR TIMING	35	Sunpadow 3800
		BATTERY

ELECTRONICS LAYOUT		
MOTOR POSITION	FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>	
BATTERY POSITION	FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>	
BATTERY SIZE	STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	

COMMENTS	

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	SHIM 2 mm	DRIVE SHAFT CVD <input type="checkbox"/> ECS <input checked="" type="checkbox"/> Length 83 /mm
LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM 5 mm	DRIVE SHAFT Length 75 /mm
LOWER SHOCK POSITION #107711 GAUGE	DOWNSTOP 2 mm	DOWNSTOP 2 mm

FRONT	CASTER	CASTER BLOCK	SHOCK TOWER POSITION	SHOCK POSITION	UPRIGHT WHEELBASE	OFFSET	RAISING GEARBOX
CASTER 6° <input type="checkbox"/> 9° <input checked="" type="checkbox"/> 12° <input type="checkbox"/>	CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	SHOCK TOWER POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	UPRIGHT WHEELBASE SHIM 2 /mm	OFFSET 4 /slots	RAISING GEARBOX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

FRONT	ROLL CENTER	REAR
FF <input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	RR <input checked="" type="checkbox"/> 1-DOT <input type="checkbox"/> NO	RR1° <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS

FRONT	STEER. PLATE	REAR
FRONT TOE 0.5	STEER. PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	REAR TOE IN
ARM SHIM 2 mm	BUMP STEER SHIM 4 mm SHIM UNDER STEER PLATE	GRAPHITE FOR REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
UPPER PLATE STANDARD <input checked="" type="checkbox"/> STEERING BRACE <input type="checkbox"/>	SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input checked="" type="checkbox"/>	REAR BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>

FRONT	FRONT CAMBER	FRONT ARMS	REAR ARMS	REAR CAMBER
FRONT CAMBER 2°	FRONT ARMS LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	REAR ARMS LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	REAR CAMBER 2°	
DOWNSTOP SHIM 2 mm	LENGTH 24 mm	DOWNSTOP SHIM 2 mm	LENGTH 28 mm	
UPSTOP SHIM 2 mm	RISE HEIGHT 13 mm	UPSTOP SHIM 2 mm	RISE HEIGHT 14 mm	

FRONT	BALANCE	CHASSIS	BALANCE	WING THICKNESS	WING CUTTING LINE	SIDE LINE
BODY STANDARD <input type="checkbox"/> LIGHT <input checked="" type="checkbox"/>	BALANCE g	CHASSIS STANDARD <input type="checkbox"/> 2.5mm <input checked="" type="checkbox"/>	BALANCE g	WING THICKNESS <input checked="" type="checkbox"/> 1.0mm <input type="checkbox"/> 1.5mm <input type="checkbox"/> 2.0mm	WING CUTTING LINE 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5	SIDE LINE HIGHER <input type="checkbox"/> LOWER <input checked="" type="checkbox"/>