

SET-UP SHEET

XRAY XB2'20

RACE	Club race
TRACK	The Factory
NAME	DATE 0020-05-17

LAPS	BEST LAP TIME	sec
QUALIFYING POSITION	FINAL POSITION	

TRACK		
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM
TRACTION	<input type="checkbox"/> VERY-LOW	<input checked="" type="checkbox"/> MEDIUM
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input checked="" type="checkbox"/> HARD PACKED
	<input checked="" type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY

TRANSMISSION		
DIFFERENTIAL	BALL DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>
SLIPPER	2 PAD <input checked="" type="checkbox"/>	3 PAD <input type="checkbox"/>

GEARING		
PINION	30	SPUR GEAR
		75

GEAR BOX		
FRONT LCG	<input checked="" type="checkbox"/>	REAR LCG <input type="checkbox"/>

FRONT	SHOCKS	REAR
1stripe3dot	SPRINGS	450
700	OIL	
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
SHOCK BODY	OTHER: mm	
LONG <input checked="" type="checkbox"/> SHORT (KIT)		
SHOCK SHAFT		
LONG <input checked="" type="checkbox"/> SHORT (KIT)		
DOWNSTOP SHIM	LENGTH 22 mm	DOWNSTOP SHIM
UPSTOP SHIM	LENGTH 30 mm	UPSTOP SHIM
OTHER: mm		OTHER: mm
<input checked="" type="checkbox"/> KIT BALL JOINT		<input checked="" type="checkbox"/> KIT

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
mm	THICKNESS	mm

FRONT	TIRES	REAR
R.S. Riptide	BRAND	R.S. Radar
Clay	COMPOUND	Clay
Stock	INSERTS	Stock
JC	WHEELS	

ELECTRONICS		
MOTOR	SMC	Muchmore
MOTOR TIMING		SMC
		BATTERY

BODY		
ALPHA2 <input checked="" type="checkbox"/>	BETA2 <input type="checkbox"/>	OTHER: <input type="checkbox"/> LIGHT

COMMENT		

FRONT	APPLIED <input type="checkbox"/>	APPLIED <input checked="" type="checkbox"/>	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM /mm	REAR UPRIGHT SHIM 3 /mm HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	CAMBER LINK LOCATION SHIM /mm FLAT ARM LSM ARM	SHIM 1.5 /mm DRIVE SHAFT Length 77 /mm SHIM 4.5 /mm ADJUSTABLE DRIVE AXLE XB2D SUSP. ARM XB4 SUSP. ARM	0.5° 1°

FRONT	WING POSITION	WING CUTTING LINE / SIDE LINE	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	UPPER DECK <input checked="" type="checkbox"/> FRONT WING YES <input type="checkbox"/> NO <input type="checkbox"/> SHOCK TOWER	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	Rawspd CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 3 /mm STEERING BUMP STEER	WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	

FRONT TOE	EXTENSION	BATTERY PLACEMENT	REAR TOE
-1	0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input checked="" type="checkbox"/>	LONG SIDE FRONT <input type="checkbox"/> LONG SIDE REAR <input checked="" type="checkbox"/>	3
OFFSET stk /slots WHEELBASE SHIM 2 /mm ROLL CENTER MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	GUARD BRACE FLEX BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/>	UPPER BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	OFFSET 5 /slots WHEELBASE SHIM 2 /mm ROLL CENTER COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

FRONT	SHIMS	REAR ROLL CENTER HOLDERS
SHIMS /mm ACKERMANN LEFT = RIGHT	SHIMS /mm LEFT = RIGHT	ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING ARMS COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>	

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
-1	1 2 3 4 5 6 7 8	-1
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	
RIDE HEIGHT 18 /mm #107721 GAUGE	RIDE HEIGHT 18 /mm	

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> SERVO POSITION BALANCE 1 2 3 4 g BALANCE 1 2 3 4 g	/mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS ALU 2.5mm <input checked="" type="checkbox"/>	
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	