

SET-UP SHEET

XRAY XB8'20 PIVOT BALL

RACE	Herts GP		
TRACK	Westmill		
NAME	Kieran Cox	DATE	31.8.20
TEMPERATURE AIR	16	TEMPERATURE TRACK	16
LAPS	52	FINAL POSITION	7th
BEST LAPTIME	42.3 /sec	RACE LENGTH	40 /min
TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input checked="" type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL			
FRONT	CENTER	REAR	
CASE MATERIAL			CASE MATERIAL
OIL	10K	10K	5K
CROWN GEAR	46		46

GEARING			
CLUTCH BELL	13	/T	48
SHOE	4xAlu		2x0.9
			2x1.0

FRONT	SHOCKS	REAR
zero rebound	TYPE	zero rebound
4 Dot	SPRINGS	3 Dot
Honeycomb	MEMBRANE	Honeycomb
650 /cSt	OIL	650 /cSt

STANDARD PISTONS			
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES	<input type="checkbox"/>
<input checked="" type="checkbox"/> 8 HOLES	<input checked="" type="checkbox"/> 1.2 mm	<input checked="" type="checkbox"/> 8 HOLES	<input checked="" type="checkbox"/>
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 10 HOLES	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> 1.4 mm	<input type="checkbox"/>	<input type="checkbox"/>
OTHER			
VALVE PISTONS			
5+2 HOLES	1.5 mm	5+2 HOLES	
6+2 HOLES	1.3 mm	6+2 HOLES	
8+2 HOLES	1.4 mm	8+2 HOLES	
	1.2 mm		
	1.3 mm		

FRONT	ANTI-ROLL BAR	REAR
2.2 /mm	THICKNESS	2.4 /mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ENGINE			
TYPE	IelasiTuned Hummer		
MUFFLER	Hipex 45R		
MANIFOLD	Hipex 2108		
PLUG	-		
FUEL	OptiFuel 25%/9%		

BODY			WEIGHT
HS	HS-LIGHT	OTHER	TOTAL
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/g

FRONT		REAR	
PIVOT BALLS	STEERING BLOCK	SHOCK TOWERS	REAR SUSPENSION ARMS
UP STEEL <input checked="" type="checkbox"/> ALU	HARD <input checked="" type="checkbox"/> GRAPHITE	FRONT ALU <input checked="" type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/>
DOWN STEEL <input checked="" type="checkbox"/> ALU			UPRIGHT ROLL CENTER
OFFSET	UPPER ARM SHIM	UPPER SHOCK POSITION	UPRIGHT
0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input checked="" type="checkbox"/>	0 1mm 2mm OTHER		HARD <input checked="" type="checkbox"/> GRAPHITE
PIVOT NUT	FRONT LOWER SHOCK POSITION	REAR LOWER SHOCK POSITION	OFFSET
ALU <input checked="" type="checkbox"/> BRASS			0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input checked="" type="checkbox"/>
FRONT DROOP	LOWER ARM SHIM	REAR DROOP	
MEASURE UNDER WHEEL AXLE #107717 GAUGE	0 1mm 2mm	MEASURE UNDER WHEEL AXLE #107717 GAUGE	

FRONT		REAR	
UPPER ROLL CENTER	CASTER SHIM	REAR WING	GRAPHITE BRACE
1° <input checked="" type="checkbox"/> 0.5°	0 1.0 1.0 2.0	STANDARD <input type="checkbox"/> LEXAN <input type="checkbox"/>	WITHOUT <input checked="" type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input type="checkbox"/>
	UPPER ARM POSITION	FRONT MIDDLE REAR	
STEERING BLOCK	BUMP STEER SHIM	OTHER HotBodies	
CENTER TRAILING	STEERING PLATE 2 /mm		
	STEERING BLOCK 2 /mm		
	SHIMS PLACE ALWAYS UNDER		
FF	WHEELBASE SHIM POSITION		
FR	0mm 2mm 4mm		
	SHIMS BEHIND FRONT ARM		
	FRONT LOWER ROLL CENTER		
	ECCENTRIC BUSHINGS		

FRONT		REAR	
3 FRONT TOE OUT	STEERING PLATE	WHEELBASE	2 REAR TOE IN
	1 DOTS <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>	0mm 1mm 2mm 3mm 4mm	
		SHIMS IN FRONT OF UPRIGHT	
FRONT DRIVE SHAFT	SERVO SAVER	SIDE GUARD	RADIO CASE
CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	TIGHT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> SOFT <input type="checkbox"/>	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/>	SOFT <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
TOP DECK	ACKERMANN POSITION	REAR DRIVE SHAFT	
COMPOSITE <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	4 3 2 1	CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
DRIVE SHAFT	GRAPHITE BRACE	DRIVE SHAFT	
CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
FRONT	FRONT CAMBER	REAR CAMBER	REAR

FRONT		REAR	
3 FRONT CAMBER	106 /mm	126 /mm	2 REAR CAMBER
LENGTH	FULL TRAVEL SHOCKS LENGTH	LENGTH	
UPPER ARM			
SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>			
LOWER ARM			
SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>			
RISE HEIGHT	RISE HEIGHT	RISE HEIGHT	
24 /mm	27 /mm		
	#107717 GAUGE		