

SET-UP SHEET

XRAY XB2'20

RACE	Club Race	
TRACK	FM Mini Raceway	
NAME	Rick A.	DATE 2020-11-11

LAPS	30	BEST LAP TIME	11.3 sec
QUALIFYING POSITION	4	FINAL POSITION	2

TRACK	
SIZE	<input type="checkbox"/> OPEN <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH
SURFACE	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

TRANSMISSION	
DIFFERENTIAL	BALL DIFF <input type="checkbox"/> <input checked="" type="checkbox"/> GEAR DIFF OIL 100k cst
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> <input checked="" type="checkbox"/> STEEL GEARS 2 <input checked="" type="checkbox"/> 4
SLIPPER	2 PAD <input type="checkbox"/> 3 PAD <input checked="" type="checkbox"/> <input type="checkbox"/> mm

GEARING	
PINION	29 T
SPUR GEAR	72 T

GEAR BOX	
FRONT LCG	<input checked="" type="checkbox"/> <input type="checkbox"/> REAR LCG

FRONT	SHOCKS	REAR
4 dot	SPRINGS	500
cst 550	OIL	cst
<input checked="" type="checkbox"/> 2 HOLES <input type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES	PISTONS <input checked="" type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES
SHOCK BODY LONG <input type="checkbox"/> <input checked="" type="checkbox"/> SHORT (KIT)	OTHER: <input type="checkbox"/> mm <input type="checkbox"/> mm	
SHOCK SHAFT LONG <input type="checkbox"/> <input checked="" type="checkbox"/> SHORT (KIT)		
DOWNSTOP SHIM INSERT UNDER PISTON	LENGTH mm	DOWNSTOP SHIM INSERT UNDER PISTON
UPSTOP SHIM INSERT ABOVE COLLAR	LENGTH mm	UPSTOP SHIM INSERT ABOVE COLLAR
OTHER: <input type="checkbox"/> KIT BALL JOINT KIT		OTHER: <input type="checkbox"/> KIT

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/> GRAPHITE		GRAPHITE <input type="checkbox"/> ALU

FRONT	ANTI ROLL BAR	REAR
1.0 mm	THICKNESS	1.2 mm

FRONT	TIRES	REAR
Stagger	BRAND	Cactus
Yellow	COMPOUND	Yellow
	INSERTS	Schu Blue
Xray	WHEELS	

ELECTRONICS		
MOTOR	Trinity 17.5	XR10 Pro Stod
MOTOR TIMING		IP 6000
SPEEDO		BATTERY

BODY	
ALPHA2 <input type="checkbox"/> <input checked="" type="checkbox"/> BETA2	OTHER: <input type="checkbox"/> LIGHT

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	REAR UPRIGHT SHIM 2 /mm <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	SHIM /mm FLAT ARM LSM ARM	SHIM 4 /mm DRIVE SHAFT Length kit /mm SHIM 4 /mm ADJUSTABLE DRIVE AXLE 0.5° 1° XB2D SUSP. ARM XB4 SUSP. ARM

FRONT	WING POSITION	WING CUTTING LINE / SIDE LINE	SHOCK POSITION	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	FRONT WING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	WING TYPE kit CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/>	WING POSITION UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 2 /mm STEERING BUMP STEER			

FRONT	EXTENSION	BATTERY PLACEMENT	REAR
FRONT TOE OUT OFFSET /slots WHEELBASE SHIM /mm ROLL CENTER MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> ALU <input type="checkbox"/>	0 SLOTS <input checked="" type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/>	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/> UPPER BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	REAR TOE IN OFFSET 6 /slots WHEELBASE SHIM /mm ROLL CENTER COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
UPPER DECK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	GUARD BRACE FLEX	SHIMS 2 /mm ACKERMANN LEFT = RIGHT	SHIMS 1 /mm ACKERMANN LEFT = RIGHT

FRONT	SHIMS	REAR ROLL CENTER HOLDERS
SHIMS 2 /mm ACKERMANN LEFT = RIGHT	SHIMS 1 /mm ACKERMANN LEFT = RIGHT	ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING ARMS COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>	

FRONT	DIFF HEIGHT	REAR
FRONT CAMBER 1° FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	DIFF HEIGHT 2 RIDE HEIGHT 14 /mm #107721 GAUGE	REAR CAMBER REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>

FRONT	ECCENTRIC SHOCK BALL	REAR
ARM MOUNT COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	ARM SHIM /mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	SERVO POSITION 1 2 3 4 BALANCE 10 g BALANCE 50 g	CHASSIS ALU 2.5mm <input checked="" type="checkbox"/>
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>	