

SET-UP SHEET

XRAY XB2'20

RACE	Base		
TRACK	NW Hobbies		
NAME	Shannon Houfek	DATE	2020-11-22

LAPS		BEST LAP TIME		sec
QUALIFYING POSITION		FINAL POSITION		

TRACK				
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT	
TRACTION				
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY	
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO	
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY	
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET	

TRANSMISSION				
DIFFERENTIAL	BALL DIFF <input type="checkbox"/>	<input checked="" type="checkbox"/> GEAR DIFF	OIL	10 cSt
SATELLITE GEARS	COMPOSITE <input checked="" type="checkbox"/>	<input type="checkbox"/> STEEL	GEARS	2 <input type="checkbox"/> 4 <input checked="" type="checkbox"/>
SLIPPER	2 PAD <input type="checkbox"/>	<input checked="" type="checkbox"/> 3 PAD		

GEARING			
PINION	21	SPUR GEAR	81

GEAR BOX	
FRONT LCG	<input type="checkbox"/> FRONT <input type="checkbox"/> REAR

FRONT	SHOCKS	REAR
3 dot	SPRINGS	450
cSt 650	OIL	cSt
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
	OTHER: mm mm	
SHOCK BODY		
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>		
SHOCK SHAFT		
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>		
DOWNSTOP SHIM		
INSERT UNDER PISTON		
LENGTH 21 mm		LENGTH 30.3 mm
UPSTOP SHIM		UPSTOP SHIM
INSERT ABOVE COLLAR		INSERT ABOVE COLLAR
1 mm		4 mm
OTHER: <input checked="" type="checkbox"/> KIT	BALL JOINT	<input checked="" type="checkbox"/> KIT
		2 OTHER

FRONT	SHOCK TOWER	REAR
ALU <input checked="" type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/>
		ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
1.0 mm	THICKNESS	1.2 mm

FRONT	TIRES	REAR
PL wedge V:	BRAND	PL pyramid
Z3	COMPOUND	Z3
No	INSERTS	OC
PI	WHEELS	

ELECTRONICS			
MOTOR	6.5 Maclan	MMax Pro	SPEEDO
MOTOR TIMING	20	Maclan 4000m	BATTERY

BODY	
ALPHA2 <input type="checkbox"/>	BETA2 <input type="checkbox"/> OTHER: <input type="checkbox"/> LIGHT

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	REAR UPRIGHT SHIM /mm <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	SHIM /mm FLAT ARM LSM ARM	SHIM /mm DRIVE SHAFT Length /mm SHIM 0.5 /mm ADJUSTABLE DRIVE AXLE 0.5° 1°

FRONT	WING POSITION	SHOCK TOWER	WING CUTTING LINE / SIDE LINE	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	FRONT WING YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> HIGHER <input type="checkbox"/> LOWER	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>	CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/> Brass	BUMP STEER SHIM /mm STEERING BUMP STEER		WING POSITION UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>	

FRONT TOE	EXTENSION	BATTERY PLACEMENT	REAR TOE
.5	0 SLOTS <input type="checkbox"/> 1 SLOT <input checked="" type="checkbox"/> 2 SLOTS <input type="checkbox"/>	LONG SIDE FRONT 1 2 3 LONG SIDE REAR 1 2 3	IN
OFFSET Kit /slots WHEELBASE SHIM 2m /mm ROLL CENTER MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	GUARD BRACE FLEX BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	UPPER BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	OFFSET Kit /slots WHEELBASE SHIM 1 /mm ROLL CENTER COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

FRONT	SHIMS	REAR ROLL CENTER HOLDERS
SHIMS 2 /mm ACKERMANN LEFT = RIGHT	SHIMS kit /mm STEERING ARMS COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input type="checkbox"/>
BUMP STEER SHIM kit /mm LEFT = RIGHT	STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>	

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
3°	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8	3°
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	RIDE HEIGHT 15 /mm #107721 GAUGE	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> SERVO POSITION 1 2 3 4 BALANCE 20 g BALANCE 50 g	/mmm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS ALU 2.5mm <input checked="" type="checkbox"/>	
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	