

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	MiCC		
TRACK	MiCC		
NAME	Damian Giddins	DATE	

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST

TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH
----------	---

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	

GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL	5k /cSt
PINION	20 /T	SPUR GEAR	81 /T
FINAL DRIVE RATIO		7.66	

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
350	OIL /cSt	350

REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	

PISTONS	
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> PSS
SHOCK LENGTH FRONT	SHOCK LENGTH REAR
/mm	/mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

Volante V5T-PG28MiCC	TIRES	Volante V5T-PG28MiCC
CS High (Control)	ADDITIVE	CS High (Control)
20	ADDITIVE TIMING	20

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT

TREATED AREA

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %

MOTOR	HW 5.0	TIMING	
ESC	XR10 Pro	BATTERIES	Silverback 5800

BODY	Twister	WING	MR33 Hard
------	---------	------	-----------

	BODY POSITION
	WING SIDE PLATE
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

COMMENTS
Car felt too 'stuck', need options to free the car up during run.
Track video. I'm number 4
https://www.youtube.com/watch?v=NjDUlpyu C1I

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
5° 4° 3° Adjust with eccentric bushings	BUMP STEER 5 /mm HEIGHT /mm SHIM 4 /mm TOE GAIN 5.5 /mm RIDE HEIGHT 5.3 /mm SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN <input type="checkbox"/>	0.5° 1.5° 2.5° 3.5° 4.5° 5.5° Adjust with eccentric bushings RIDE HEIGHT 5.5 /mm

FRONT	FRONT SUSPENSION	FRONT HUB
2 /deg. CAMBER Left = Right BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FRONT BRACE YES <input type="checkbox"/> NO <input type="checkbox"/> BULKHEAD SHIMS YES <input type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/> DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input type="checkbox"/> #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.2 /mm DOWNSTOP	1 /mm SHIM 2.5 /mm FRONT SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm HUBDY 0 1 2 3 4 5 6 7 8 9 10	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

REAR	REAR SUSPENSION	REAR HUB
2 /deg. CAMBER Left = Right BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/> REAR SHOCK POSITION 1 2 3 4 SHIM 1 /mm HUBDY 0 1 2 3 4 5 6 7 8 9 10 #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP	1 /mm SHIM 2.5 /mm SHIM 0.5 /mm HUBDY 0 1 2 3 4 5 6 7 8 9 10	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT TOP VIEW	REAR TOP VIEW
1 TOE OUT Left = Right ACKERMANN SHIM 0.5 /mm BRASS WEIGHT FOR MOTOR MOUNT 15 DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/> TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	3 TOE IN Left = Right SHIM /mm DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> TOP DECK CUTTING OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 26 /deg. STEER. SHIM SIZE 7.5 /mm FRONT BRACE YES <input type="checkbox"/> NO <input type="checkbox"/> SERVO HOLDER FR RE CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/> REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> MOTOR MOUNT CHASSIS T-BRACE REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>