

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	Setup Base España		
TRACK	Generico		
NAME	Luis Moreno	DATE	2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST

TRACTION	<input checked="" type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH
----------	---

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	

GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL	5k /cSt
PINION	/T	SPUR GEAR	/T
FINAL DRIVE RATIO			

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.5/2.8
400	OIL /cSt	400
0	REBOUND %	0

<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
---	--------------	---

<input type="checkbox"/> 3 HOLES	PISTONS	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 4 HOLES	1.0mm	<input checked="" type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	

SHOCK LENGTH FRONT	8.5 /mm	SHOCK LENGTH REAR	8.5 /mm
--------------------	---------	-------------------	---------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

TIRES	
ADDITIVE	
ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1330 /g	WEIGHT BALANCE	FRONT 50 % REAR 50 %
--------------	---------	----------------	----------------------

MOTOR	TIMING
ESC	BATTERIES

BODY	Speciale	WING	Std
------	----------	------	-----

66 /mm	Dimension from body post to window bottom line
29 /mm	Dimension from body post to upper holder
65 /mm	Dimension from edge to surface
WING SIDE PLATE	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO

COMMENTS
Válido para la mayoría de circuitos y para la mayoría de pilotos que lo han testeado, creo que es un buen punto de partida.

Valid for most tracks and for most drivers who have tested it, I think it's a good starting point.
Utilizo el servo de Bruno para el X4.

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	5 /mm	19 /mm	5 /mm		Adjust with eccentric bushings	4.5 /mm
1.5 /mm FF	5.2 /mm	FR 1.5 /mm	<input type="checkbox"/> SERVO SAVER		2 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

FRONT CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
2 /deg. Left=Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 11 /mm	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
			5.4 /mm DOWNSTOP

REAR CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
2 /deg. Left=Right	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	SHIM 1 /mm SHIM 3 /mm REAR SHOCK POSITION 1 2 3 4	SHIM 1 /mm COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		DRIVE SHAFT 52mm <input checked="" type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
			4.4 /mm DOWNSTOP

FRONT TOP VIEW	REAR TOP VIEW
TOE OUT 1 /mm Left=Right	TOE IN 3 /mm Left=Right
ACKERMANN SHIM 0 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input checked="" type="checkbox"/>
TOP DECK STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 27 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT FR <input checked="" type="checkbox"/> RE <input type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	