

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	2022 Snowbirds - 21.5 - TQ & Win		
TRACK	Wyndham Ballroom		
NAME	Robbie Dodge	DATE	6 Feb 2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
	1	1			

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 10K /cSt
PINION	/T	SPUR GEAR /T
		FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
525	OIL /cSt	525
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	
2x 0.8mm		2x 0.8mm

SHOCK LENGTH FRONT	8.75 /mm	SHOCK LENGTH REAR	8.75 /mm
--------------------	----------	-------------------	----------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
Jaco 57.5mm		TIRES		Jaco
		ADDITIVE		
		ADDITIVE TIMING		

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1330 /g	WEIGHT BALANCE	FRONT 51 % REAR 49 %
MOTOR	R1 V21S 21.5	TIMING	
ESC	R1 Digital 3	BATTERIES	R1 5800
BODY	OG Twister 0.5	WING	OG Twister 0.5

66 /mm	Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
	Dimension from edge to surface	

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4.5 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	6 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input type="checkbox"/> SERVO SAVER		2 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

1.5 /deg. CAMBER	Left = Right	BODY STOP	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SUSPENSION	1 /mm SHIM 2 /mm	FRONT HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		12 /mm		FRONT BRACE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SHOCK POSITION	
				BULKHEAD SHIMS	YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM	0.5 /mm
				DRIVE SHAFT	58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	SHIM	6.0 /mm
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	DOWNSTOP

2 /deg. CAMBER	Left = Right	BODY POST	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION	1 /mm SHIM 1 /mm	REAR HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
				REAR SHOCK POSITION		SHIM	1.5 /mm
				DRIVE SHAFT	52mm <input checked="" type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	SHIM	5.1 /mm
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT	2.5 TOE IN
Left = Right	Left = Right
ACKERMANN	SHIM
SHIM 0.5 /mm	
DIFF POSITION	DIFF POSITION
UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM	UPPER ARM
STANDARD <input checked="" type="checkbox"/>	STANDARD <input checked="" type="checkbox"/>
OFFSET	OFFSET
STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm
STEERING BRIDGE	TOP DECK FLEX
YES <input type="checkbox"/> NO <input type="checkbox"/>	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK	TOP DECK
STANDARD <input type="checkbox"/> SPLITTED <input checked="" type="checkbox"/>	1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>

FRONT BOTTOM VIEW	REAR
STEER. LOCK	T-BRACE
24 /deg.	ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM	
SIZE 9 /mm	
FRONT BRACE	MOTOR MOUNT
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FR CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS
	GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS	REAR ARMS
MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE	
STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	