

# SET-UP SHEET

VER.01 ©XRAY

# XRAY X4'22

RACE	MICC Round 5		
TRACK			
NAME	Kyle Branson	DATE	6/2/22

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	2	2		/sec	/

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 6000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO 7.2

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
400	OIL /Cst	400
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/>

SHOCK LENGTH FRONT	8.5 /mm	SHOCK LENGTH REAR	8.5 /mm
--------------------	---------	-------------------	---------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

MICC	TIRES	MICC
CS	ADDITIVE	CS
15	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1325 /g	WEIGHT BALANCE	FRONT 49 % REAR 51 %
--------------	---------	----------------	----------------------

MOTOR	5.0	TIMING	
-------	-----	--------	--

ESC	HW	BATTERIES	4200
-----	----	-----------	------

BODY	Speciale	WING	Std
------	----------	------	-----

65 /mm	Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

COMMENTS	Split top deck rear in front
----------	------------------------------

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	5 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input type="checkbox"/> SERVO SAVER		2.5 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

2 /deg. CAMBER	Left = Right	BODY STOP	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SUSPENSION	1.5 /mm SHIM	2 /mm	FRONT HUB	COMPOSITE <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>
		16.5 /mm		FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>				
				BULKHEAD SHIMS	YES <input checked="" type="checkbox"/> 3mm	NO <input type="checkbox"/>			
				DRIVE SHAFT	58mm	59mm	STD. BEARING		
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6.6 /mm	DOWNSTOP	

2 /deg. CAMBER	Left = Right	BODY POST	VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SUSPENSION	1 /mm SHIM	2 /mm	REAR HUB	COMPOSITE <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>
				REAR SHOCK POSITION	1 2 3 4				
				DRIVE SHAFT	52mm	54mm	STD. BEARING		
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.4 /mm	DOWNSTOP	

FRONT TOP VIEW	REAR
1 TOE OUT	3 TOE IN
Left = Right	Left = Right
ACKERMANN	SHIM
SHIM 0.5 /mm	
DIFF POSITION	DIFF POSITION
UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM	UPPER ARM
STANDARD <input checked="" type="checkbox"/>	STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE	TOP DECK FLEX
YES <input type="checkbox"/> NO <input type="checkbox"/>	NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK	TOP DECK
STANDARD <input type="checkbox"/>	1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>
OFFSET	OFFSET
STANDARD <input type="checkbox"/>	STANDARD <input type="checkbox"/>
-0.5mm <input checked="" type="checkbox"/>	-0.5mm <input checked="" type="checkbox"/>
SHIM/mm	SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK	T-BRACE
28 /deg.	ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM	
SIZE 7.5 /mm	
FRONT BRACE	MOTOR MOUNT
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FR RE
SERVO HOLDER	CHASSIS T-BRACE
FRONT ARMS	REAR ARMS
MEDIUM <input type="checkbox"/>	MEDIUM <input type="checkbox"/>
HARD <input checked="" type="checkbox"/>	HARD <input checked="" type="checkbox"/>
STEER. PLATE	CHASSIS
STANDARD <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>
+1mm <input type="checkbox"/>	ALU <input type="checkbox"/>
	ALU FLEX <input checked="" type="checkbox"/>