

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	Coupe de France		
TRACK	Longwy		
NAME	jacques Libar	DATE	20.02.2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
23	3	3	12.06 /sec	25/	5:06

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 8K /cSt
PINION 104 /T	SPUR GEAR 43 /T	FINAL DRIVE RATIO 4.6

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /cSt	350
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input checked="" type="checkbox"/>
<input type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	

SHOCK LENGTH FRONT	SHOCK LENGTH REAR
9 /mm	9 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

Volante v5 28	TIRES	volante v5 28
CS-Highgrip	ADDITIVE	
25 min	ADDITIVE TIMING	2x

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT 1324 /g	WEIGHT BALANCE	FRONT %	REAR %
----------------------	----------------	---------	--------

MOTOR team Zombie EVO T 13.5	TIMING
------------------------------	--------

ESC Nosram	BATTERIES Team Zombie 6250
------------	----------------------------

BODY Twister	WING	0.5
--------------	------	-----

67 /mm	Dimension from body post to window bottom line	BODY POSITION
	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		Dimension from edge to surface

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 4 /mm HEIGHT 17 /mm SHIM 4 /mm	TOE GAIN 5 /mm RIDE HEIGHT 3.0 /mm RF 5.4 /mm RR 3.0 /mm
RIDE HEIGHT 5.2 /mm FR 2.5 /mm <input checked="" type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN	

FRONT SUSPENSION	FRONT HUB
2 /deg. CAMBER Left=Right BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/> DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm STD. BEARING <input checked="" type="checkbox"/> #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.4 /mm DOWNSTOP	2 /mm SHIM 2 /mm FRONT SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.4 /mm DOWNSTOP

REAR SUSPENSION	REAR HUB
2 /deg. CAMBER Left=Right BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/> REAR SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP	1 /mm SHIM 2 /mm SHIM 0.5 /mm #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR
0.5 TOE OUT Left=Right ACKERMANN SHIM 0 /mm DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm SHIM/mm STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/> TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/> TOP DECK CUTTING	3 TOE IN Left=Right SHIM 0 /mm DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm SHIM/mm STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> TOP DECK FLEX

FRONT BOTTOM VIEW	REAR
STEER. LOCK 25 /deg. STEER. SHIM SIZE 7.5 /mm FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/> CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> MOTOR MOUNT CHASSIS T-BRACE REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>