

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	GP3F 2k22				
TRACK					
NAME	Duchet Alexandre		DATE	6/3/22	

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	1	/sec	/	

TRACK					
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT			
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST		
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH		

FRONT		TRANSMISSION		REAR	
SOLID AXLE	<input checked="" type="checkbox"/> YES				
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL	8000		/cSt
PINION	100 /T	SPUR GEAR	40 /T	FINAL DRIVE RATIO	4,75

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.6
425	OIL /Cst	425
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> PSS	PISTONS 1.0mm 1.1mm 1.2mm	<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> PSS
SHOCK LENGTH FRONT		SHOCK LENGTH REAR
8,5 /mm		9 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Matrix 28	TIRES	Matrix 28
Phub Pink	ADDITIVE	Phub Pink
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1325 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
MOTOR	Orca blitreme 2	TIMING		
ESC	Orca Oe101	BATTERIES	Orca 6090	
BODY	Wolverine	WING	Std	

BODY POSITION

WING SIDE PLATE
YES ☐ NO ☒

50 /mm

Dimension from edge to surface

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 4 /mm	HEIGHT 19 /mm
SHIM 8 /mm	TOE GAIN 5 /mm
2.5 /mm FF <input checked="" type="checkbox"/> 5 /mm <input type="checkbox"/> FR 2.5 /mm <input checked="" type="checkbox"/> RIDE HEIGHT <input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN	3 /mm RF <input checked="" type="checkbox"/> 5,2 /mm <input type="checkbox"/> RR 3 /mm <input checked="" type="checkbox"/> RIDE HEIGHT

FRONT	REAR
2 /deg. CAMBER Left = Right	2 /deg. CAMBER Left = Right
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 16 /mm	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>
FRONT SUSPENSION YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	REAR SUSPENSION YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0,5 /mm
DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	SHIM 1,5 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
6,6 /mm	DOWNSTOP

FRONT	REAR
2 /deg. CAMBER Left = Right	2 /deg. CAMBER Left = Right
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>
FRONT SUSPENSION YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	REAR SUSPENSION YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 1,5 /mm
DRIVE SHAFT <input type="checkbox"/> 52mm <input checked="" type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	SHIM 1,5 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
4 /mm	DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	2,5 TOE IN Left = Right
ACKERMANN SHIM 0,5 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>
OFFSET STANDARD <input type="checkbox"/> -0,5mm <input checked="" type="checkbox"/>	TOP DECK 1,6mm <input type="checkbox"/> 2,0mm <input checked="" type="checkbox"/>
TOP DECK <input checked="" type="checkbox"/> SPLITTED	TOP DECK CUTTING
SHIM/mm	SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	CHASSIS T-BRACE
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
SERVO HOLDER FR <input type="checkbox"/> RE <input type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>	STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>