

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	N-Control RD1		
TRACK	N-control		
NAME		DATE	3-26-22

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
135	5	DNF	15.8 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input checked="" type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 6k /cSt
PINION 44 /T	SPUR GEAR 96 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /cSt	375
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

PISTONS	
<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS	<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS
1.0mm 1.1mm 1.2mm	1.0mm 1.1mm 1.2mm

SHOCK LENGTH FRONT	9 /mm	SHOCK LENGTH REAR	9 /mm
--------------------	-------	-------------------	-------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

xpress	TIRES
JF MRP	ADDITIVE
ALL	ADDITIVE TIMING

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1320 /g	WEIGHT BALANCE	FRONT 50 % REAR 50 %
--------------	---------	----------------	----------------------

MOTOR	15.5	TIMING
-------	------	--------

ESC	R1 D3	BATTERIES	MOTIC 6000
-----	-------	-----------	------------

BODY	ANTI	WING	ANTI
------	------	------	------

 Dimension from body post to window bottom line 6 HOLE /mm Dimension from body post to upper holder WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 9 /mm Dimension from edge to surface	BODY POSITION
---	---------------

COMMENTS
MOUNT SAME AS WR, DROOP OVER RH, SAUCE AS LONG AS POSSIBLE.NEEDS HEAVIER SHOCK PACKAGE. PUSH ON ENTRY

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	REAR CASTER	TOE GAIN	RIDE HEIGHT
Adjust with eccentric bushings 5° 4° 3° <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4 /mm	TOP /mm	5 /mm	Adjust with eccentric bushings 0.5° 1.5° 2.5° 3.5° 4.5° 5.5° <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4 /mm	2 /mm RF 5.2 /mm RR 2 /mm
2 /mm FF 5 /mm FR 2 /mm						
<input type="checkbox"/> SERVO SAVER						
<input type="checkbox"/> SERVO HORN						

FRONT CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
2 /deg. Left=Right	YES <input type="checkbox"/> NO <input type="checkbox"/>	1 /mm SHIM 2 /mm	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		FRONT BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	
		DRIVE SHAFT 58mm 59mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	
			3 /mm DOWNSTOP

REAR CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
2 /deg. Left=Right	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	1 /mm SHIM 1.5 /mm	COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>
		REAR SHOCK POSITION	
		DRIVE SHAFT 52mm 54mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	
			3.5 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT Left=Right	3 TOE IN Left=Right
ACKERMANN SHIM .5 /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK	TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm
OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm	OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm
TOP DECK CUTTING	

FRONT BOTTOM VIEW	REAR
STEER. LOCK KIT /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE KIT /mm	
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT
FR SERVO HOLDER	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	