

SET-UP SHEET

XRAY XB4'22

RACE	Norc/sk		
TRACK	Mc Dortmund		
NAME	Jens Becker	DATE	24.4.2022

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 8 cst	OIL cst	OIL 6 cst

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
	ONE-WAY TIGHTNESS <input checked="" type="checkbox"/> 1 CCW TURN (BASIC SETUP) <input type="checkbox"/> FULLY TIGHTEN

GEARING	
PINION 19 T	81 T CENTER DIFF SPUR

FRONT	SHOCKS	REAR
3	SPRINGS	2
cst 550	OIL	cst 425
REBOUND		
<input checked="" type="checkbox"/> 2 HOLES <input type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES	PISTONS <input type="checkbox"/> ø1.2mm <input type="checkbox"/> ø1.3mm <input type="checkbox"/> ø1.4mm <input checked="" type="checkbox"/> ø1.6mm <input checked="" type="checkbox"/> ø1.7mm CUSTOM PISTONS	<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES

FRONT	ANTI ROLL BAR	REAR
1.4 mm	THICKNESS	1.4 mm

FRONT	TIRES	REAR
Dart	BRAND	Dart
Yellow	COMPOUND	Yellow
Schum	INSERTS	Schum
Xray	WHEELS	Xray

ELECTRONICS		
MOTOR	Absima 5.0	Absima CTS
MOTOR TIMING		Absima 4400
BATTERY SIZE		BATTERY
<input type="checkbox"/> STD. SHORT <input checked="" type="checkbox"/> LOW SHORT		

BODY	
TYPE	Dirt
STANDARD <input type="checkbox"/> LIGHT <input checked="" type="checkbox"/>	

COMMENTS

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
ALU C-HUB SHIM UP 2 /mm DOWN /mm LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input type="checkbox"/> DRIVE SHAFT CVD <input type="checkbox"/> ECS <input type="checkbox"/> Length /mm SHIM 2 mm LOWER SHOCK POSITION #107711 GAUGE	ROLL ENTER DRIVE SHAFT Length /mm SHIM 2 mm SHIMS 2 /mm HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input checked="" type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 1° 0.5° #107711 GAUGE	

FRONT	CASTER	CASTER BLOCK	WING CUTTING LINE	WING SIDE LINE
CASTER 6° <input type="checkbox"/> 7° <input checked="" type="checkbox"/> 9° <input type="checkbox"/> 12° <input type="checkbox"/> OFFSET 2 BUMP STEER SHIM 2 mm	MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	1 2 3 4 5 OFFSET 1 /slots UPRIGHT WHEELBASE SHIM 3 /mm IN FRONT OF ARM	HIGHER <input type="checkbox"/> LOWER <input type="checkbox"/> WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/> WING THICKNESS 0.75 <input type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input type="checkbox"/> TYPE	

FF	FR	ROLL CENTER	RF	RR 2°
1° <input type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input type="checkbox"/> 0.5° <input type="checkbox"/>	ECCENTRIC BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	1° <input type="checkbox"/> 0.5° <input type="checkbox"/>	2° <input type="checkbox"/>

FRONT TOE	STEER. PLATE	REAR TOE	GRAPHITE FOR REAR BRACE	REAR BRACE	ARM SHIM
1.5	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> BUMP STEER SHIM 5 mm SHIM UNDER STEER. PLATE SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input checked="" type="checkbox"/> MATERIAL STANDARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	3	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>	0 mm

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
2	DOWNSTOP SHIM mm LENGTH mm UPSTOP SHIM 2 mm	2 DOWNSTOP SHIM mm LENGTH mm UPSTOP SHIM 2 mm	2
COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	RIDE HEIGHT 16 mm #107720 GAUGE	RIDE HEIGHT 16 mm #107720 GAUGE	COLLAR STANDARD <input checked="" type="checkbox"/> -2mm

FRONT ARMS	BALANCE	SIDE GUARDS	BALANCE	REAR ARMS
LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	g	HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	g	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
T-BRACE FRONT BATTERY POST 35g REAR BATTERY POST BALANCE g BALANCE g				
CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>				