

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	French Nats round 2		
TRACK	Besancon		
NAME	Duchet Alexandre	DATE	24/04/22

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	1	17.667 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE <input checked="" type="checkbox"/> YES		
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 7000 /cSt
PINION 99 /T	SPUR GEAR 44 /T	FINAL DRIVE RATIO 4.2

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
300	OIL /cSt	300
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

PISTONS	
<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS	<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS
1.0mm 1.1mm 1.2mm	1.0mm 1.1mm 1.2mm

SHOCK LENGTH FRONT	9 /mm	SHOCK LENGTH REAR	9 /mm
--------------------	-------	-------------------	-------

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Rush 32		TIRES		Rush 32
V3		ADDITIVE		V3
15		ADDITIVE TIMING		15

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1328 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
MOTOR Orca 13.5T	TIMING		
ESC Oe101	BATTERIES	Orca 8590mah	
BODY Twister Light	WING	Std	

65 /mm	Dimension from body post to window bottom line	BODY POSITION
7+O-ring /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
		66.5 /mm
		Dimension from edge to surface

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN	
5° 4° 3° Adjust with eccentric bushings	3.5 /mm	19 /mm	8 /mm		0.5° 1.5° 2.5° 3.5° 4.5° 5.5° Adjust with eccentric bushings	5 /mm	
3 /mm FF	5.2 /mm	FR 3 /mm	<input type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN		3.5 /mm RF	5.4 /mm	RR 3.5 /mm
<input type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> RIDE HEIGHT			<input type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> RIDE HEIGHT

2 /deg. CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
	/mm	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 0.5 /mm
		DRIVE SHAFT 58mm 59mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	5.6 /mm DOWNSTOP

2 /deg. CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
Left = Right	VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 1 /mm
		DRIVE SHAFT 52mm 54mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	4.4 /mm DOWNSTOP

1 TOE OUT	ACKERMANN	SHIM	2.8 TOE IN
Left = Right	SHIM 0.5 /mm	1 /mm	Left = Right
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>			DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/>	TOP DECK <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/>	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/>	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/>
SHIM/mm			SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT
FR SERVO HOLDER	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>