

# SET-UP SHEET

# XRAY XB4'22

RACE	Hyvinkä MS1	
TRACK	Hyua	
NAME		DATE

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 10k cst	OIL 500k cst	OIL 7k cst

SATELLITE GEARS		
COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
	ONE-WAY TIGHTNESS
SLIPPING ADJUSTMENT	LOOSE 1 CCW TURN (BASIC SETUP) FULLY TIGHTEN

GEARING	
PINION 19 T	81 T CENTER DIFF SPUR

FRONT	SHOCKS	REAR
2	SPRINGS	2
cst 600	OIL	cst 500
% 0	REBOUND	% 0
<input checked="" type="checkbox"/> 2 HOLES <input type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES	PISTONS <input type="checkbox"/> ø1.2mm <input type="checkbox"/> ø1.3mm <input type="checkbox"/> ø1.4mm <input checked="" type="checkbox"/> ø1.6mm <input checked="" type="checkbox"/> ø1.7mm CUSTOM PISTONS	<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES

FRONT	ANTI ROLL BAR	REAR
	THICKNESS	1.4 mm

FRONT	TIRES	REAR
PL holeshot	BRAND	PL holeshot
M3	COMPOUND	M3
Foam	INSERTS	Foam
Xray	WHEELS	Xray

ELECTRONICS		
MOTOR	6,5	XR10
MOTOR TIMING		
BATTERY SIZE		SPEEDO
STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>		BATTERY

BODY	
TYPE	Dirt KIT STANDARD <input checked="" type="checkbox"/> LIGHT

COMMENTS

FRONT	APPLIED <input type="checkbox"/> <input checked="" type="checkbox"/> APPLIED	REAR
ALU C-HUB SHIM UP /mm DOWN /mm LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> DRIVE SHAFT CVD <input checked="" type="checkbox"/> ECS Length 83 /mm SHIM 2 mm LOWER SHOCK POSITION #107711 GAUGE DOWNSTOP mm	REAR UPRIGHT DRIVE SHAFT Length /mm SHIM 4 mm SHIMS 2 /mm HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 1° 0.5° #107711 GAUGE DOWNSTOP mm	

FRONT	CASTER	CASTER BLOCK	WING CUTTING LINE	WING SIDE LINE
CASTER 6° <input type="checkbox"/> 7° <input type="checkbox"/> 9° <input checked="" type="checkbox"/> 12° <input type="checkbox"/> OFFSET 0 BUMP STEER SHIM 2 mm	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	1 2 3 4 5 OFFSET 0 /slots UPRIGHT WHEELBASE SHIM 1 /mm IN FRONT OF ARM	HIGHER <input type="checkbox"/> LOWER <input checked="" type="checkbox"/> WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> WING THICKNESS 0.75 1 1.5 TYPE	

FF	FR	ROLL CENTER	RF	RR 2°
<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	<input checked="" type="checkbox"/> 1° <input type="checkbox"/> 0.5°	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> ECCENTRIC BUSHINGS	<input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN	<input checked="" type="checkbox"/> 2°

FRONT TOE	STEER. PLATE	REAR TOE	GRAPHITE FOR REAR BRACE	REAR BRACE	ARM SHIM
1	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> BUMP STEER SHIM mm SHIM UNDER STEER. PLATE SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input checked="" type="checkbox"/> MATERIAL STANDARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	IN #363242 PIVOT BALL ECCENTRIC FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	0 mm

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
2	DOWNSTOP SHIM KIT mm LENGTH KIT mm UPSTOP SHIM KIT mm	DOWNSTOP SHIM KIT mm LENGTH KIT mm UPSTOP SHIM KIT mm	DOWNSTOP SHIM KIT mm LENGTH KIT mm UPSTOP SHIM KIT mm
	COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	RIDE HEIGHT 20 mm #107720 GAUGE	COLLAR STANDARD <input checked="" type="checkbox"/> -2mm

FRONT ARMS	BALANCE	SIDE GUARDS	BALANCE	REAR ARMS
LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	g	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	g	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>
CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>				