

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	Nacional España 2ª Carrera		
TRACK	ARCA		
NAME	David Pérez	DATE	22/05/2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
50	3	2	20.903 /sec	14	5:07.711

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input checked="" type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE <input checked="" type="checkbox"/> YES		
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 5K /cSt
PINION 47 /T	SPUR GEAR 99 /T	FINAL DRIVE RATIO 4.00

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/> PSS
Ciego		Ciego

SHOCK LENGTH FRONT 9.5 /mm	SHOCK LENGTH REAR 9.5 /mm
----------------------------	---------------------------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Matrix 36R	TIRES	Matrix 36R
Solaris C	ADDITIVE	Solaris C
15 min	ADDITIVE TIMING	15 min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1333 /g	WEIGHT BALANCE	FRONT 51 %	REAR 49 %
MOTOR HW Justock 13.5	TIMING		
ESC HW XR10 Justock	BATTERIES	RC ProStyle 7500	
BODY Wolverine	WING	ZooRacing Hard	

61 /mm	Dimension from body post to window bottom line	BODY POSITION
25 /mm	Dimension from body post to upper holder	WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

COMMENTS

Este setup fue el que mejor me fue el domingo, que amaneció la pista llena de polen y no había agarre ninguno comparado con el día anterior.

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	5 /mm	19 /mm	7 /mm		Adjust with eccentric bushings	6 /mm
1 /mm FF	5.2 /mm	FR 1 /mm	<input type="checkbox"/> SERVO SAVER		2 /mm RF	5.4 /mm
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

2 /deg. CAMBER	Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	18 /mm	FRONT SUSPENSION	0.5 /mm SHIM 2 /mm	FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
				FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SHOCK POSITION	
				BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>		
				DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input checked="" type="checkbox"/> STD. BEARING <input type="checkbox"/>	SHIM 0.5 /mm	
				#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	5.2 /mm DOWNSTOP

2 /deg. CAMBER	Left = Right	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION	0 /mm SHIM 2 /mm	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	
			REAR SHOCK POSITION			
				SHIM 1 /mm		
				DRIVE SHAFT 52mm <input checked="" type="checkbox"/> 54mm <input checked="" type="checkbox"/> STD. BEARING <input type="checkbox"/>		
				#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT	1.5 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM 0 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK	TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	