

# SET-UP SHEET

XRAY XB8'22 SET-UP VER.01 ©XRAY

**XRAY XB8'22 PIVOT BALL**

RACE			
TRACK <b>RC REDOVAN</b>			
NAME <b>BALDO</b>		DATE	
TEMPERATURE AIR	TEMPERATURE TRACK		
LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
		/sec	/min
<b>TRACKS</b>			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION <input checked="" type="checkbox"/> DRY <input type="checkbox"/> DUSTY <input type="checkbox"/> WET <input type="checkbox"/> MUD			
<b>DIFFERENTIAL</b>			
CASE MATERIAL	FRONT <b>STD</b>	CENTER <b>STD</b>	REAR <b>STD</b>
OIL	<b>15K</b>	<b>15K</b>	<b>7K</b>
CROWN GEAR	<b>46</b>		<b>46</b>
<b>GEARING</b>			
CLUTCH SHOE	3 <input type="checkbox"/> <input checked="" type="checkbox"/> 4		
SPRINGS	<b>MEDIUM X4</b>		
CLUTCH BELL	<b>13</b> /T	SPUR GEAR	<b>48</b> /T
<b>FRONT SHOCKS</b>		<b>REAR SHOCKS</b>	
Zero Rebound	TYPE	Zero Rebound	
<b>5 dots</b>	SPRINGS	<b>4 dots</b>	
<b>clear</b>	MEMBRANE	<b>clear</b>	
<b>550</b> /cSt	OIL	<b>550</b> /cSt	
<b>STANDARD PISTONS</b>			
<input checked="" type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/>
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 10 HOLES	<input checked="" type="checkbox"/> 1.3 mm	<input checked="" type="checkbox"/> 10 HOLES	<input type="checkbox"/>
	<input type="checkbox"/> 1.4 mm		<input type="checkbox"/>
OTHER			
<b>VALVE PISTONS</b>			
5+2 HOLES	<input type="checkbox"/> 1.5 mm	5+2 HOLES	<input type="checkbox"/>
6+2 HOLES	<input type="checkbox"/> 1.3 mm	6+2 HOLES	<input type="checkbox"/>
8+2 HOLES	<input type="checkbox"/> 1.4 mm	8+2 HOLES	<input type="checkbox"/>
	<input type="checkbox"/> 1.2 mm		<input type="checkbox"/>
	<input type="checkbox"/> 1.3 mm		<input type="checkbox"/>
<b>ANTI-ROLL BAR</b>			
FRONT	THICKNESS	REAR	
<b>2,4</b> /mm		<b>2,7</b> /mm	
<b>TIRES</b>			
FRONT	BRAND	REAR	
	COMPOUND		
	INSERTS		
	WHEELS		
<b>ENGINE</b>			
TYPE			
MUFFLER			
MANIFOLD			
PLUG			
FUEL			
<b>BODY</b>		OTHER	<b>TOTAL WEIGHT</b>
EASY	EASY LIGHT		/g

<b>FRONT</b>		<b>REAR</b>	
<b>PIVOT BALLS</b> UP STEEL <input checked="" type="checkbox"/> ALU <input type="checkbox"/> DOWN STEEL <input checked="" type="checkbox"/> ALU <input type="checkbox"/>		<b>STEERING BLOCK</b> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
<b>UPPER ARM SHIM</b> /mm 0 <input type="checkbox"/> 1 <input checked="" type="checkbox"/> 1.5 <input type="checkbox"/> 2 <input type="checkbox"/>		<b>FRONT SHOCK TOWERS</b> ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	
<b>OFFSET</b> 0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input checked="" type="checkbox"/>		<b>REAR SHOCK TOWERS</b> ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	
<b>PIVOT NUT</b> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>		<b>UPRIGHT</b> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
<b>FRONT DROOP</b> MEASURE UNDER WHEEL AXLE #107717 GAUGE		<b>REAR DROOP</b> MEASURE UNDER WHEEL AXLE #107717 GAUGE	
<b>LOWER ARM SHIM</b> 0 <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/>		<b>UPPER SHOCK POSITION</b> 1 2 3 4 5 6 7 8	
<b>FRONT LOWER SHOCK POSITION</b> 2 1		<b>REAR LOWER SHOCK POSITION</b> 3 2 1	
<b>FRONT LOWER ROLL CENTER</b> ECCENTRIC BUSHINGS		<b>REAR LOWER ROLL CENTER</b> ECCENTRIC BUSHINGS	
<b>UPPER ROLL CENTER</b> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>		<b>REAR WING</b> COMPOSITE <input type="checkbox"/> LEXAN <input checked="" type="checkbox"/> OTHER	
<b>CASTER SHIM</b> 0 1.0 1.0 2.0 UPPER ARM POSITION		<b>GRAPHITE BRACE</b> WITHOUT <input type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input checked="" type="checkbox"/>	
<b>BUMP STEER SHIM</b> STEERING PLATE /mm STEERING BLOCK /mm SHIMS PLACE ALWAYS UNDER		<b>WING HOLDER</b> FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	
<b>WHEELBASE SHIM POSITION</b> 0mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 4mm <input type="checkbox"/> SHIMS BEHIND FRONT ARM		<b>WHEELBASE SHIM POSITION</b> 0mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 4mm <input type="checkbox"/> SHIMS IN FRONT OF REAR ARM	
<b>FRONT TOE OUT</b> 1 DOTS <input checked="" type="checkbox"/> 2 DOTS <input type="checkbox"/>		<b>REAR TOE IN</b> 1 DOTS <input checked="" type="checkbox"/> 2 DOTS <input type="checkbox"/>	
<b>FRONT DRIVE SHAFT</b> CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm		<b>REAR DRIVE SHAFT</b> CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm	
<b>TOP DECK</b> COMPOSITE <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		<b>RADIO CASE</b> SOFT <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	
<b>DRIVE SHAFT</b> CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/>		<b>GRAPHITE BRACE</b> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
<b>FRONT CAMBER</b> LENGTH mm		<b>REAR CAMBER</b> LENGTH mm	
<b>UPPER ARM</b> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		<b>LOWER ARM</b> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
<b>FRONT RIDE HEIGHT</b> 23 /mm		<b>REAR RIDE HEIGHT</b> 27 /mm	