

# SET-UP SHEET

SET-UP VER.01 ©XRAY

# XRAY XB8E'22 PIVOT BALL

RACE	Danish Nationals Round 3		
TRACK	Skive rc Center		
NAME	Pelle Culmsee	DATE	28.05

TEMPERATURE AIR		TEMPERATURE TRACK	
-----------------	--	-------------------	--

LAPS	22	FINAL POSITION	1	BEST LAP TIME	26,5 /sec	RACE LENGTH	10 /min
------	----	----------------	---	---------------	-----------	-------------	---------

TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS

CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET	<input type="checkbox"/> MUD
-----------	---	--------------------------------	------------------------------	------------------------------

DIFFERENTIAL			
CASE MATERIAL	FRONT STD	CENTER STD	REAR STD
OIL	7	7	3
CROWN GEAR			

GEARING		
MOTOR PINION	15 /T	46 /T
SPUR GEAR		

FRONT	SHOCKS	REAR
STD	TYPE	STD
DOT 4	SPRINGS	DOT 3
STD	MEMBRANE	STD
	OIL	
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES
<input checked="" type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input checked="" type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 10 HOLES
	<input type="checkbox"/> 1.4 mm	
	OTHER	
VALVE PISTONS		
5+2 HOLES	1.5 mm	5+2 HOLES
6+2 HOLES	1.3 mm	6+2 HOLES
8+2 HOLES	1.4 mm	8+2 HOLES
	1.2 mm	
	1.3 mm	

FRONT	ANTI-ROLL BAR	REAR
2.2 /mm	THICKNESS	2.4 /mm

FRONT	TIRES	REAR
6MIK	BRAND	MAGMA
0/18	COMPOUND	
STD	INSERTS	STD
6MIK	WHEELS	6MIK

ELECTRONICS			
MOTOR	Hobbywing		
SPEEDO	Hobywing		
BATTERY TYPE	Sunpadow 6000		
SADDLE PACK	<input type="checkbox"/>	BRICK PLATE	<input type="checkbox"/>
FR	STANDARD BATT.	RR	BATT. ESC
FR	SHORT BATT.	RR	ESC BATT.
	SHORT		STANDARD

BODY		OTHER	TOTAL WEIGHT
EASY	<input checked="" type="checkbox"/>		
EASY LIGHT			

FRONT	SHOCK TOWERS	REAR
PIVOT BALLS	UP <input checked="" type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU	DOWN <input checked="" type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU
STEERING BLOCK	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	
UPPER ARM SHIM /mm	0 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2 <input type="checkbox"/>	
PIVOT NUT	ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	
FRONT DROOP	MEASURE UNDER WHEEL AXLE #107717 GAUGE	
LOWER ARM SHIM	0 <input checked="" type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/>	
FRONT LOWER SHOCK POSITION		
REAR LOWER SHOCK POSITION		
REAR DROOP	MEASURE UNDER WHEEL AXLE #107717 GAUGE	

FRONT	REAR
UPPER ROLL CENTER	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
CASTER SHIM	0 <input type="checkbox"/> 1.0 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 2.0 <input type="checkbox"/>
BUMP STEER SHIM	STEERING PLATE /mm
STEERING BLOCK	SHIMS PLACE ALWAYS UNDER
WHEELBASE SHIM POSITION	0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm <input type="checkbox"/>
SHIMS BEHIND FRONT ARM	
SHIMS IN FRONT OF REAR ARM	
LOWER ROLL CENTER	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
ECCENTRIC BUSHINGS	

FRONT	REAR
FRONT TOE OUT	REAR TOE IN
STEERING PLATE	1 DOT <input type="checkbox"/> 2 DOT <input checked="" type="checkbox"/>
SIDE GUARD	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
WHEELBASE	0mm <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/> 3mm <input type="checkbox"/> 4mm <input type="checkbox"/>
SHIMS IN FRONT OF UPRIGHT	
SERVO SAVER	TIGHT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> SOFT <input type="checkbox"/>
GRAPHITE BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT DRIVE SHAFT	CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGHT /mm
REAR DRIVE SHAFT	CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGHT /mm
TOP DECK	COMPOSITE <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
DRIVE SHAFT	CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/>
DRIVE SHAFT	CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/>

FRONT	REAR
FRONT CAMBER	REAR CAMBER
LENGTH	LENGTH
UPPER ARM	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
LOWER ARM	SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
FRONT CAMBER	107 /mm
FULL TRAVEL SHOCKS LENGTH	126 /mm
REAR CAMBER	
FRONT CAMBER	24 /mm
FRONT CAMBER	28 /mm