

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	3ra Prueba Camp España Valladolid		
TRACK	Pical		
NAME	Luis Moreno	DATE	17/07/2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
60	2	2	/sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE <input checked="" type="checkbox"/> YES		
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 4k /cSt
PINION 45 /T	SPUR GEAR 95 /T	FINAL DRIVE RATIO 4.01

FRONT	SHOCKS	REAR
2.9	XRAY SPRINGS	2.8
275	OIL /Cst	275
O	REBOUND %	O
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

FRONT	PISTONS	REAR
<input type="checkbox"/> 3 HOLES	1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	1.2mm	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT 9 /mm	SHOCK LENGTH REAR 9 /mm
--------------------------	-------------------------

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Matrix		TIRES		Matrix
Hudy		ADDITIVE		Hudy
10		ADDITIVE TIMING		10

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR 13.5 hw justock	TIMING
-----------------------	--------

ESC Justock	BATTERIES XTR 750
-------------	-------------------

BODY Wolverine	WING	Std
----------------	------	-----

65 /mm	Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

COMMENTS
Con rueda nueva: 0.5mm en el camber gain y la t-brace con los dos tornillos exteriores trasero

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
5° 4° 3°	BUMP STEER 3 /mm	0.5° 1.5° 2.5° 3.5° 4.5° 5.5°
HEIGHT 18 /mm	SHIM	TOE GAIN 6 /mm
1.5 /mm FF	5 /mm FR 1.5 /mm	2.5 /mm RF
RIDE HEIGHT	SERVO SAVER	5.2 /mm RR 2.5 /mm
SERVO HORN		

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
2 /deg. Left = Right		COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BODY STOP YES <input type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	SHIM 0.5 /mm
BULKHEAD SHIMS YES <input type="checkbox"/> 3mm <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SHOCK POSITION	
DRIVE SHAFT 58mm 59mm STD. BEARING	SHIM 0.5 /mm	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	5.2 /mm DOWNSTOP

REAR CAMBER	REAR SUSPENSION	REAR HUB
2 /deg. Left = Right		COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	SHIM 1.5 /mm
DRIVE SHAFT 52mm 54mm STD. BEARING	REAR SHOCK POSITION	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR TOP VIEW
TOE OUT Left = Right	TOE IN Left = Right
ACKERMANN SHIM 0 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input type="checkbox"/>	UPPER ARM STANDARD <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK STANDARD <input type="checkbox"/> SPLITTED <input checked="" type="checkbox"/>	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 26.5 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	