

# SET-UP SHEET

VER.01 ©XRAY

# XRAY X4'22

RACE	Championnat de France		
TRACK	Beaumont Montoux		
NAME	Duchet Alexandre	DATE	25/01/2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	1	16,2 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE <input checked="" type="checkbox"/> YES		
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 8000 /cSt
PINION 44 /T	SPUR GEAR 96 /T	FINAL DRIVE RATIO 4.15

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2,7
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT 9 /mm	SHOCK LENGTH REAR 9 /mm
--------------------------	-------------------------

1.1 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.2
------------------	---------------	------------------

Rush 32	TIRES	Rush 32
Phub Pink	ADDITIVE	Phub Pink
15	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
----------------------	----------------	------------	-----------

MOTOR	Orca 13,5T	TIMING
-------	------------	--------

ESC	Orca OE1	BATTERIES	6390 mah Orca
-----	----------	-----------	---------------

BODY	Wolverine Max 0,5	WING	Special
------	-------------------	------	---------

63 /mm	Dimension from body post to window bottom line	BODY POSITION
6+1mm et Oring /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
52.5 /mm	Dimension from edge to surface	

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	3 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	5 /mm
3 /mm FF	5 /mm	FR 3 /mm	<input type="checkbox"/> SERVO SAVER		3,5 /mm RF	5,2 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

2 /deg. CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
	17,5 /mm	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 0,5 /mm
		DRIVE SHAFT 58mm 59mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5,4 /mm DOWNSTOP	

2 /deg. CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
Left = Right	VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 1 /mm
		DRIVE SHAFT 52mm 54mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4 /mm DOWNSTOP	

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	2.8 TOE IN Left = Right
ACKERMANN SHIM 0,5 /mm	SHIM 0 /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK STANDARD <input checked="" type="checkbox"/>	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/>	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/>
SHIM/mm	SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>