

RACE	Regional Guía de Isora		
TRACK	La Trazada Guía de Isora		
NAME	Joel Fariña	DATE	04/09/22

TEMPERATURE AIR 20 TEMPERATURE TRACK 1





LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
17	1	18,4 /sec	5 /min

TRACKS			
CONDITION	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> BUMPY
	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST

TRACTION ☐ LOW ☒ MEDIUM ☐ HIGH

FRONT		DIFFERENTIAL		REAR	
STD		CASE MATERIAL	STD		
500.000		OIL	STD		
13T <input checked="" type="checkbox"/>	<input type="checkbox"/> 14T	BEVEL DRIVE GEAR	13T <input type="checkbox"/>	<input type="checkbox"/> 14T	
46		CROWN GEAR	46		

MOTOR PINION	GEARING	SPUR GEAR
18		45
		STANDARD <input type="checkbox"/> <input checked="" type="checkbox"/> GRAPHITE

FRONT		SHOCKS		REAR	
<div>.._</div>		SPRINGS		<div>.._</div>	
<div>800</div> <div>/cSt</div>		OIL		<div>800</div> <div>/cSt</div>	
<div>STD</div>		MEMBRANE		<div>STD</div>	
<div>0</div> <div>%</div>		REBOUND		<div>0</div> <div>%</div>	
<div> <input checked="" type="checkbox"/>  6 HOLES <div> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </div> </div>		<div>PISTONS</div> <div>1.1 mm</div> <div>1.2 mm</div> <div>1.3 mm</div> <div>1.4 mm</div>		<div> <div><input checked="" type="checkbox"/></div> <div>6 HOLES </div> <div>8 HOLES </div> <div>10 HOLES </div> </div>	
		OTHER PISTONS			

FRONT	ANTI-ROLL BAR	REAR
2.8 /mm	THICKNESS	2.6 /mm

FRONT TIRES REAR

TIRES TYPE: **PMT**

Q5 ← COMPOUND → Q1

FR RR

Q5 ← COMPOUND → Q1

ELECTRONICS	
MOTOR	2800kv HW G3
SPEEDO	200A HW G3
BATTERY TYPE	Brute power

BODY		WEIGHT	
TYPE	GT5 BLITZ	TOTAL	3.900 /g

COMMENTS

FRONT

STEERING BLOCK

COMPOSITE	<input checked="" type="checkbox"/>
ALU	<input type="checkbox"/>

C-HUB

COMPOSITE	<input type="checkbox"/>
ALU	<input checked="" type="checkbox"/>

CASTER

16°	<input type="checkbox"/>
6°	<input type="checkbox"/>
2°	<input checked="" type="checkbox"/>

FRONT ARM

SOFT	<input type="checkbox"/>
MEDIUM	<input type="checkbox"/>
HARD	<input type="checkbox"/>
GRAPHITE	<input type="checkbox"/>

OFFSET

0	+1	+2
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CASTER BUSHINGS

+2°	<input checked="" type="checkbox"/>
+1°	<input type="checkbox"/>
0°	<input type="checkbox"/>
-1°	<input type="checkbox"/>
-2°	<input type="checkbox"/>

FRONT DROOP

28

MEASURE UNDER WHEEL AXLE #107717 GAUGE

REAR

REAR ARMS

MEDIUM	<input type="checkbox"/>
HARD	<input type="checkbox"/>
X-HARD	<input checked="" type="checkbox"/>
GRAPHITE	<input type="checkbox"/>

UPRIGHT

MEDIUM	<input type="checkbox"/>
HARD	<input checked="" type="checkbox"/>
GRAPHITE	<input type="checkbox"/>

OFFSET

STANDARD	<input type="checkbox"/>
+1	<input checked="" type="checkbox"/>
+2	<input type="checkbox"/>

REAR DROOP

21

MEASURE UNDER WHEEL AXLE #107717 HUDY GAUGE

UPPER SHOCK POSITION

REAR SHOCK POSITION

ANTI-ROLL BAR

UPRIGHT ROLL CENTER

REAR ROLL CENTER

LOWER ROLL CENTER

IN

OUT

REAR SHOCK PLATE POSITION

FRONT

BUMP STEER SHIM

STEERING BLOCK	/mm
STEERING PLATE	6 /mm

SHIMS PLACE ALWAYS UNDER

WING HIGH 32 /mm

GRAPHITE BRACE

WITHOUT	<input checked="" type="checkbox"/>
1-PIECE	<input type="checkbox"/>
2-PIECES	<input type="checkbox"/>

REAR DIFFUSER

YES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO
-----	--------------------------	-------------------------------------	----

WHEELBASE SHIM POSITION

0 mm	<input checked="" type="checkbox"/>	2 mm
------	-------------------------------------	------

SHIMS BEHIND FRONT ARM

FF

1° ☐ ☒ 0.5°

FR

1° ☐ ☒ 0.5°

FRONT **LOWER ROLL CENTER** **REAR**

ECCENTRIC BUSHINGS

WHEELBASE SHIM POSITION

2 mm	<input type="checkbox"/>	4 mm
------	--------------------------	------

SHIMS IN FRONT OF REAR ARM

RF

1° ☐ ☒ 0.5°

RR

1° ☐ ☒ 0.5°

REAR

1 FRONT TOE OUT

3 REAR TOE IN

ACKERMANN POSITION
3 2 1

SERVO SAVER

TIGHTEN	MATERIAL
TIGHT <input checked="" type="checkbox"/>	MEDIUM <input type="checkbox"/>
MEDIUM <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
SOFT <input type="checkbox"/>	

WHEELBASE

0 mm	1 mm	2 mm	3 mm	4 mm
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SHIMS IN FRONT OF UPRIGHT

TOP DECK

COMPOSITE <input checked="" type="checkbox"/>
GRAPHITE <input type="checkbox"/>

STANDARD BATTERY

☒

BATTERY SETTING

FRONT <input type="checkbox"/>	REAR <input type="checkbox"/>
SHORT BATTERY <input type="checkbox"/>	

FRONT

2 FRONT CAMBER

LENGTH
22,3 mm

2°

8 /mm

8

9 /mm

9

REAR CAMBER

3

LENGTH
22,5 mm

REAR