

SET-UP SHEET

VER.01 ©XRAY

XRAY X4F'23

RACE	Hungarian Nats. 1.rd				
TRACK	carpet				
NAME	Valent Márk		DATE	2022.10.22.	

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1.	1.	/sec	/	

TRACK					
TRACK SURFACE		<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT		
TRACK LAYOUT		<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST	
TRACTION		<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH	

FRONT		TRANSMISSION		REAR	
GEAR DIFFERENTIAL - OIL		500k /cst			

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	100	5

FRONT	SHOCKS	REAR
2.6-2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
/	REBOUND %	/
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS	PISTONS <input checked="" type="checkbox"/> 1.0mm <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm	<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS
---	---	---

SHOCK LENGTH FRONT	SHOCK LENGTH REAR
9 /mm	9 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

ride	TIRES	ride
mr33	ADDITIVE	mr33
10 min.	ADDITIVE TIMING	10 min.

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1259 /g	WEIGHT BALANCE	FRONT 70 % REAR 30 %
MOTOR	17,5	TIMING	
ESC		BATTERIES	gens
BODY		WING	

BODY POSITION

WING SIDE PLATE
YES ☐ NO ☒

COMMENTS

FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	BUMP STEER 3 /mm	HEIGHT /mm	SHIM 6 /mm
---	----------------------------	----------------------	----------------------

FRONT & REAR SUSPENSION	
REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings	TOE GAIN 2 /mm

2 /mm FF 5.2 /mm RIDE HEIGHT	FR 2 /mm <input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN	2 /mm RF 5.5 /mm RIDE HEIGHT	RR 2 /mm
---------------------------------	--	---------------------------------	----------

2 /deg. CAMBER Left=Right	BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> /mm	FRONT SUSPENSION FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input type="checkbox"/> 3mm <input type="checkbox"/> NO DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> STD. BEARING	FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
-------------------------------------	---	---	---

2 /deg. CAMBER Left=Right	REAR SUSPENSION REAR SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
-------------------------------------	---	--

1 /deg. CAMBER Left=Right	REAR SUSPENSION REAR SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
-------------------------------------	---	--

1 TOE OUT Left=Right	ACKERMANN SHIM /mm	3 TOE IN Left=Right
--------------------------------	------------------------------	-------------------------------

DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input type="checkbox"/>	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm
---	--	--	---

FRONT TOP VIEW	REAR TOP VIEW
-----------------------	----------------------

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
--------------------------	-------------------------

STEER. LOCK 25 /deg. STEER. SHIM SIZE /mm	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
--	--

FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT	CHASSIS T-BRACE
---	--------------------	------------------------

FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	STEER. PLATE STANDARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
--	---	--	---