

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	MR Cup stock		
TRACK	Jedovnice		
NAME	Oliver Havránek	DATE	

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
		/sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
100 /T	38 /T	5.0

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	8.5 /mm	8.5 /mm	SHOCK LENGTH

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

HUDY	TIRES	HUDY
MG RED	ADDITIVE	MG RED
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1327 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
--------------	---------	----------------	------------	-----------

MOTOR	Muchmore 13.5T	TIMING	
ESC	HW	BATTERIES	6100
BODY	Wolverine	WING	Wolverine

66 /mm	Dimension from body post to window bottom line	BODY POSITION
7th+o-ring /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
65 /mm	Dimension from edge to surface	

X4'23	1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	
X4'22	2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>	
X4'22	2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/>	
	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2 /mm FF	5.0 /mm RIDE HEIGHT	2 /mm FR
	<input type="checkbox"/> SERVO SAVER	
	<input checked="" type="checkbox"/> SERVO HORN	
	TOE GAIN 5 /mm	2.5 /mm RF
		5.2 /mm RR
		2.5 /mm RIDE HEIGHT

2 /deg. CAMBER	FRONT SUSPENSION	FRONT HUB
Left = Right		
BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	HARD <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
	DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/>	ALU <input type="checkbox"/>
	BEARING BLADE	SHIM 0.5 /mm
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		6.4 /mm DOWNSTOP

2 /deg. CAMBER	REAR SUSPENSION	REAR HUB
Left = Right		
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SHOCK POSITION	HARD <input type="checkbox"/>
		GRAPHITE <input checked="" type="checkbox"/>
		ALU <input type="checkbox"/>
	DRIVE SHAFT 52mm <input type="checkbox"/> 54mm <input checked="" type="checkbox"/>	SHIM 1 /mm
	BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		4.2 /mm DOWNSTOP

1	FRONT TOP VIEW	REAR
TOE OUT Left = Right		TOE IN Left = Right
ACKERMANN SHIM 1 /mm		SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE FR RE	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>