

SET-UP SHEET

SCX'23 SET-UP SHEET VER. 2 ©XRAY 2023

XRAY SCX

RACE	Thanksgiving Race		
TRACK	Eds RC Raceway West Virginia		
NAME	Bill Davis	DATE	11/26/22

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	TQ	FINAL POSITION	1st

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	OIL <input type="checkbox"/> cSt
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	2 PAD <input type="checkbox"/>	3 PAD <input checked="" type="checkbox"/>	ELIMINATOR <input type="checkbox"/>

GEARING			
PINION	27	SPUR GEAR	78

FRONT	SHOCKS	REAR
4 dot	SPRINGS	3 dot
cSt 650	OIL	600 cSt
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
DOWNSTOP SHIM		DOWNSTOP SHIM
LENGTH		LENGTH
UPSTOP SHIM		UPSTOP SHIM
COLLAR STANDARD -2mm		COLLAR STANDARD -2mm
OTHER		OTHER

FRONT	SHOCK TOWER	REAR
COMPOSITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
	GRAPHITE <input type="checkbox"/>	

ANTI ROLL BARS		REAR
THICKNESS		None mm

FRONT	TIRES	REAR
Raw Speed	BRAND	RS/Ground
SS	COMPOUND	SS
	INSERTS	
Ground Rept	WHEELS	Ground Rept

ELECTRONICS		
MOTOR	13.5	SPEEDO
MOTOR TIMING		BATTERY

BODY	
JC/HF	

COMMENT
I have a 1.6 front sway bar

FRONT	APPLIED <input type="radio"/>	APPLIED <input checked="" type="checkbox"/>	REAR
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	UPPER SHOCK POSITION SHIM 2 mm LOWER SHOCK POSITION SHIM 0 mm		SHIM 2, /mm HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input type="checkbox"/>
LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DRIVE SHAFT Length stock/mm		SHIM 2 mm 1 2 3 4 #325341 ADJ. DRIVE AXLE
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	CAMBER LINK LOCATION 2 1		

FRONT	REAR
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/> OTHER <input type="checkbox"/>	STEERING ARMS COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
KICK-UP ANGLE 23° <input type="checkbox"/> KIT 26° <input checked="" type="checkbox"/> 29° <input type="checkbox"/>	ROLL CENTER ECCENTRIC BUSHINGS RF 1° <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> RR 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
BUMP STEER SHIM 0 /mm	STEERING PLATE COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT	REAR
FRONT TOE 0	REAR TOE IN
OFFSET 2 SLOTS	OFFSET stock SLOTS
WHEELBASE SHIM 0mm <input checked="" type="checkbox"/> 1mm <input type="checkbox"/>	WHEELBASE SHIM 2 /mm
ROLL CENTER HOLDER HARD <input type="checkbox"/> ALU <input type="checkbox"/>	COMPOSITE ROLL CENTER ALU <input type="checkbox"/>
SEVO HORNS SHIM 6 /mm	BATTERY PLACEMENT LONG SIDE FRONT <input type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>
GUARD BRACE FLEX YES <input type="checkbox"/> NO <input type="checkbox"/>	BATTERY SIZE STD. SHORT <input checked="" type="checkbox"/> LOW SHORT <input type="checkbox"/>
SERVO BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>	UPPER BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

FRONT	REAR
FRONT CAMBER -0.5	REAR CAMBER -0.5
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
DIFF HEIGHT 24 mm	DIFF HEIGHT 24 mm

FRONT	REAR
ARM MOUNT COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	ARM SHIM 2 /mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS ALU <input type="checkbox"/> OTHER <input type="checkbox"/>
SERVO WEIGHT STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	