

# SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

# XRAY X4'23

RACE	GP3F Longwy 2023		
TRACK	Longwy		
NAME		DATE	22/01/2023

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
17	20	11.7 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 7.5k /cSt
PINION 42 /T	SPUR GEAR 100 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /cSt	350
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	/mm	/mm	SHOCK LENGTH

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

RUSH 30	TIRES	RUSH 30
PHUB Pink	ADDITIVE	Phub Pink
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT	1310 /g	WEIGHT BALANCE	FRONT %	REAR %
--------------	---------	----------------	---------	--------

MOTOR	HW 13.5	TIMING	
ESC	HW	BATTERIES	GensAce
BODY	Wolverine 0.5	WING	

66 /mm	Dimension from body post to window bottom line	BODY POSITION
/mm	Dimension from body post to upper holder	WING SIDE PLATE
	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	1.6mm
2.0mm	<input type="checkbox"/> 1.6mm	
NONE	<input type="checkbox"/> BEARING	

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input type="checkbox"/> -1.5mm
2 /mm FF	5 /mm FR	2 /mm RF
RIDE HEIGHT	RIDE HEIGHT	RIDE HEIGHT
<input type="checkbox"/> SERVO SAVER	<input checked="" type="checkbox"/> SERVO HORN	
	TOE GAIN 5 /mm	

2 /deg. CAMBER	BODY STOP YES <input checked="" type="checkbox"/> NO	FRONT SUSPENSION	1.5 /mm SHIM 2 /mm	FRONT HUB HARD <input checked="" type="checkbox"/>
Left = Right	/mm	FRONT BRACE YES <input type="checkbox"/> NO	FRONT SHOCK POSITION	GRAPHITE <input type="checkbox"/>
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO		ALU <input type="checkbox"/>
		DRIVE SHAFT 58mm 59mm BEARING BLADE		SHIM 0.5 /mm
		#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6.2 /mm DOWNSTOP

2 /deg. CAMBER	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SUSPENSION	1 /mm SHIM 2 /mm	REAR HUB HARD <input checked="" type="checkbox"/>
Left = Right		REAR BRACE YES <input type="checkbox"/> NO	REAR SHOCK POSITION	GRAPHITE <input type="checkbox"/>
		DRIVE SHAFT 52mm 54mm BEARING BLADE		ALU <input type="checkbox"/>
		#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.4 /mm DOWNSTOP

1 TOE OUT	ACKERMANN SHIM 0.5 /mm	SHIM 0 /mm	2.25 TOE IN
Left = Right			Left = Right
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT		DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm		HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	

FRONT BOTTOM VIEW	REAR
STEER. LOCK 25 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE FR RE	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>