

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	French Nats Round 1		
TRACK	Beaumont Montoux		
NAME	Duchet Alexandre	DATE	19/03/23

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	16.3 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 8000 /cSt
PINION 43 /T	SPUR GEAR 96 /T	FINAL DRIVE RATIO 4.24

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.6
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Rush 36X	TIRES	Rush36X
PHUB PINK	ADDITIVE	PHUB PINK
15 min	ADDITIVE TIMING	15 min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1335 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
----------------------	----------------	------------	-----------

MOTOR ORCA Blitreme 13,5T	TIMING
ESC ORCA OE1 WLE	BATTERIES ORCA 6390mah
BODY Wolverine	WING Wolverine

65 /mm	Dimension from body post to window bottom line	BODY POSITION
6+2mm+Oring /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
54 /mm	Dimension from edge to surface	

X4'23	<input checked="" type="checkbox"/>	1.6mm	<input checked="" type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm	<input type="checkbox"/>	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	BUMP STEER 3 /mm	5.2 /mm FR
5.2 /mm RIDE HEIGHT	HEIGHT 19 /mm	2.5 /mm RR
	SHIM 8 /mm	5.4 /mm RIDE HEIGHT
	<input type="checkbox"/> SERVO SAVER	3 /mm RF
	<input checked="" type="checkbox"/> SERVO HORN	5 /mm TOE GAIN

2 /deg. CAMBER	FRONT SUSPENSION	FRONT HUB
Left = Right		HARD <input type="checkbox"/>
	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
	FRONT SHOCK POSITION 1 2	ALU <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	SHIM 0.5 /mm
	DRIVE SHAFT 58mm 59mm BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	
	#107712 Chassis Droop Gauge	
		5.4 /mm DOWNSTOP

2 /deg. CAMBER	REAR SUSPENSION	REAR HUB
Left = Right		HARD <input type="checkbox"/>
	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
	REAR SHOCK POSITION 1 2	ALU <input type="checkbox"/>
	SHIM 1.5 /mm	SHIM 1 /mm
	DRIVE SHAFT 52mm 54mm BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	
	#107712 Chassis Droop Gauge	
		4 /mm DOWNSTOP

1 TOE OUT	FRONT TOP VIEW	REAR	3 TOE IN
Left = Right			Left = Right
	ACKERMANN SHIM 0.5 /mm		
	SHIM 0 /mm		
	DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>		DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>		UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
	STEERING PLATE 8.0mm STD. <input checked="" type="checkbox"/> 7.5mm <input type="checkbox"/>		
	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm 0.5		HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm 0.5

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MOTOR MOUNT
FR SERVO HOLDER	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>