

XRAY XB4'23

FRONT

ALU C-HUB SHIM
UP ☒ 2 /mm
DOWN _____ /mm

LONGER BUSHINGS
UP ☐
DOWN ☐

DRIVE SHAFT
CVD ☐ ECS ☒
Length 83 /mm

SHIM
2 mm

STEERING BLOCK
MEDIUM ☐
HARD ☐
GRAPHITE ☒

LOWER SHOCK POSITION

DOWNSTOP
#107711 GAUGE

REAR UPRIGHT

DRIVE SHAFT
Length 77 /mm

SHIM
2 mm

SHIMS
0 /mm

HARD ☐
GRAPHITE ☒
ALU HIGH ☒
ALU LOW ☐

#325341 ADJ. DRIVE AXLE
1 2 3 4

ROLL ENTER

UPRIGHT WHEELBASE
SHIM 2 /mm

IN FRONT OF ARM

WING CUTTING LINE
1 2 3 4 5

OFFSET
3 /slots

WING SIDE LINE
HIGHER ☐
LOWER ☒

WING POSITION
UP ☒
MIDDLE ☐
DOWN ☐

WING THICKNESS
0.75 ☒ 1 ☐ 1.5 ☐

TYPE JC 6.5

CASTER
6° ☐
7° ☒
9° ☐
12° ☐

CASTER BLOCK
MEDIUM ☐
HARD ☐
GRAPHITE ☐
ALU ☒

BUMP STEER
SHIM 2 mm

FF

FR

RR

ROLL CENTER
ECCENTRIC BUSHINGS
1° ☒ 0.5° ☐
1° ☒ 0.5° ☐

UP ☒ **DOWN** ☐

RR 2°

FRONT TOE
1° Out

OUT

ARM SHIM
2 mm

STEER. PLATE
HARD ☐
GRAPHITE ☒
ALU ☐

BUMP STEER
SHIM 2 mm

Servo SAVER
SOFT ☐
MEDIUM ☐
TIGHT ☒

MATERIAL
STANDARD ☐
GRAPHITE ☒

REAR TOE
1 IN

GRAPHITE FOR REAR BRACE
YES ☐
NO ☒

REAR BRACE
MEDIUM ☐
HARD ☒

ARM SHIM
2 mm

FRONT CAMBER
-3.5°

DOWNSTOP
SHIM 0 mm

LENGTH
22 mm

UPSTOP
SHIM 0 mm

COLLAR
STANDARD ☒ -2mm ☐

FRONT DIFF HEIGHT
RIDE HEIGHT 13 mm

REAR DIFF HEIGHT
RIDE HEIGHT 13.5 mm

REAR CAMBER
-2°

DOWNSTOP
SHIM 0 mm

LENGTH
29 mm

UPSTOP
SHIM 3 mm

COLLAR
STANDARD ☐ -2mm ☒

FRONT ARMS
LONG ☒
SHORT ☐
MEDIUM ☐
HARD ☐
GRAPHITE ☒

BALANCE
g

MOTOR MOUNT
FRONT ☒ REAR ☐

T-BRACE

CHASSIS
ALU ☒
GRAPHITE ☐

SIDE GUARDS
HARD ☐
GRAPHITE ☒

REAR ARMS
LONG ☒
SHORT ☐
MEDIUM ☐
HARD ☐
GRAPHITE ☒

FRONT BATTERY POST

REAR BATTERY POST

BALANCE
g