

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Sizzler Baseline		
TRACK	Soda City RC		
NAME	Cory Craig	DATE	5-7-2023

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
		/sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.6	XRAY SPRINGS	2.7
475	OIL /Cst	475
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	<input type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	<input checked="" type="checkbox"/> PSS
0.8 x 2			0.8 x 2
SHOCK LENGTH	8.5 /mm	8.5 /mm	SHOCK LENGTH

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

TIRES	
ADDITIVE	
ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
--------------	----	----------------	------------	-----------

MOTOR	TIMING
ESC	BATTERIES
BODY	WING

	BODY POSITION Dimension from body post to window bottom line /mm WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/> Dimension from edge to surface /mm
--	--

X4'23 <input checked="" type="checkbox"/> 1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm X4'22 <input type="checkbox"/> 2.0mm <input type="checkbox"/> 2.0mm X4'22 <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm NONE <input type="checkbox"/> BEARING <input checked="" type="checkbox"/>	TOP DECK CUTTING
--	------------------

1.6 front top deck, 2.0 rear top deck with bearing slot (cut solid top deck for this option)

droop : 3mm over ride height all around

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° <input type="checkbox"/> Adjust with eccentric bushings	BUMP STEER 4.5 /mm HEIGHT 15 /mm SHIM 4 /mm	0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° <input type="checkbox"/> Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm	UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm	
2.5 /mm FF <input checked="" type="checkbox"/> 5.2 /mm FR <input checked="" type="checkbox"/> 2.5 /mm <input checked="" type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN		TOE GAIN 4.5 /mm 3.0 /mm RF <input checked="" type="checkbox"/> 5.4 /mm RR <input checked="" type="checkbox"/> 3.0 /mm RIDE HEIGHT

-2 /deg. CAMBER Left=Right BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> /mm	FRONT SUSPENSION FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT SHOCK POSITION 1 2 BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	3.5 /mm SHIM 3.0 /mm FRONT HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
DRIVE SHAFT 58mm 59mm BEARING BLADE <input checked="" type="checkbox"/> <input type="checkbox"/> #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge /mm DOWNSTOP	HUBDY 0 1 2 3 4 5 6 7 8 9 10	

-2 /deg. CAMBER Left=Right BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION REAR SHOCK POSITION 1 2 SHIM 2.5 /mm 3.0 /mm	REAR HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
DRIVE SHAFT 52mm 54mm BEARING BLADE <input checked="" type="checkbox"/> <input type="checkbox"/> #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge /mm DOWNSTOP	HUBDY 0 1 2 3 4 5 6 7 8 9 10	

-1 TOE OUT Left=Right DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	FRONT TOP VIEW ACKERMANN SHIM 0.5 /mm BRASS WEIGHT FOR MOTOR MOUNT UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/> STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm	REAR SHIM /mm TOE IN Left=Right DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	

FRONT BOTTOM VIEW STEER. LOCK 17 /deg. STEER. SHIM SIZE STD /mm FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR T-BRACE ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/> MOTOR MOUNT CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/> REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
---	--