

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Setup for HKRCSA 2023-24 Rd1			
TRACK	TRC			
NAME	Joey Chan Ka Lok		DATE	29May2023

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
3	3	14.965 /sec	20	5:05:816

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 5000 /cSt
PINION 38 /T	SPUR GEAR 91 /T	FINAL DRIVE RATIO 4.55

FRONT	SHOCKS	REAR
2.7	XRAY SPRINGS	2.7
400	OIL /cSt	400
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 9 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Xpress 40s	TIRES	Xpress 40s
V3 Black	ADDITIVE	V3 Black
5mins / 70c 8mins	ADDITIVE TIMING	5mins / 70c 8mins

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	Orca 13.5t Handout	TIMING	
ESC	Orca Totem Handout	BATTERIES	Codder 6600mah
BODY	Goat 0.5	WING	Std

	Dimension from body post to window bottom line /mm	BODY POSITION
	Dimension from body post to upper holder /mm	WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/>
	Dimension from edge to surface /mm	

X4'23	<input checked="" type="checkbox"/> 1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input type="checkbox"/> 1.6mm
X4'22	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 1.6mm
X4'22	<input type="checkbox"/> 2.0mm	<input type="checkbox"/> 1.6mm	<input type="checkbox"/> BEARING

Speedome-RC phototype chassis .
Speedome-RC split top deck (Medium at front ,hard at rear .
5g beside servo ,under front belt .

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	5.2 /mm FR	2.5 /mm RF
2.5 /mm	5.4 /mm RR	2.5 /mm

2 /deg. CAMBER	Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
FRONT SUSPENSION	FRONT SHOCK POSITION	FRONT HUB
2 /mm SHIM	3 /mm	HARD <input type="checkbox"/>
		GRAPHITE <input checked="" type="checkbox"/>
		ALU <input type="checkbox"/>
		SHIM 0.5 /mm

2 /deg. CAMBER	Left = Right	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>
REAR SUSPENSION	REAR SHOCK POSITION	REAR HUB
1.5 /mm SHIM	3 /mm	HARD <input type="checkbox"/>
		GRAPHITE <input checked="" type="checkbox"/>
		ALU <input type="checkbox"/>
		SHIM 1 /mm

1 TOE OUT	Left = Right	ACKERMANN SHIM 0 /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT
	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>