

# SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

# XRAY X4'23

RACE	Roar Paved Nats		
TRACK	Coral Spring RC		
NAME	Keven Hebert	DATE	May 25-28

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
2	3	12.1 /sec	25 / 5:10	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 6000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
400	OIL /cSt	400
30	REBOUND %	30
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Sweep 36D	TIRES	Sweep 36 D		
Mg yellow	ADDITIVE	Mg yellow		
10 / 60f	ADDITIVE TIMING	10 / 60f		

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
----------------------	----------------	------------	-----------

MOTOR	Motiv 5.0	TIMING	
ESC	Hw g2s	BATTERIES	Motiv ulcg 6000
BODY	Speciale	WING	Speciale .5

64 /mm	Dimension from body post to window bottom line	BODY POSITION
7+1 /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
65 /mm	Dimension from edge to surface	

X4'23	<input checked="" type="checkbox"/>	1.6mm	<input checked="" type="checkbox"/>	2.0mm	<input checked="" type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>		<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	
X4'22	<input type="checkbox"/>		<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
		NONE	<input type="checkbox"/>	BEARING	<input type="checkbox"/>	

Power HD S15-x servo mounted to chassis

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
5° 4° 3°	BUMP STEER 2.5 /mm	0.5° 1.5° 2.5° 3.5° 4.5° 5.5°
UPPER CLAMP STD. <input type="checkbox"/> -1.5mm	HEIGHT 19 /mm	UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	SHIM 6 /mm	TOE GAIN 5.5 /mm
5.2 /mm RIDE HEIGHT	SERVO SAVER <input type="checkbox"/>	3 /mm RF
FR 2.5 /mm	SERVO HORN <input checked="" type="checkbox"/>	5.4 /mm RR
		3 /mm RIDE HEIGHT

FRONT	FRONT SUSPENSION	FRONT HUB
2 /deg. CAMBER	BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	HARD <input checked="" type="checkbox"/>
Left = Right	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	ALU <input type="checkbox"/>
	DRIVE SHAFT 58mm 59mm BEARING BLADE	SHIM .5 /mm
	#107702 Chassis Droop Gauge Blocks	
	#107712 Chassis Droop Gauge	
		5.6 /mm DOWNSTOP

REAR	REAR SUSPENSION	REAR HUB
2 /deg. CAMBER	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	HARD <input checked="" type="checkbox"/>
Left = Right	REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	ALU <input type="checkbox"/>
	DRIVE SHAFT 52mm 54mm BEARING BLADE	SHIM .5 /mm
	#107702 Chassis Droop Gauge Blocks	
	#107712 Chassis Droop Gauge	
		4.6 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT	2.8 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM .5 /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm
HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM /mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM /mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT
FR RE SERVO HOLDER	CHASSIS T-BRACE
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>