

SET-UP SHEET

X4F'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'24

RACE	TOS Andernach		
TRACK	Arena 33		
NAME	Libar Jacques	DATE	20.08.23

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
60	8	8	23.1 /sec	/ /	/

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFFERENTIAL - OIL 150K /cSt		
PINION / T 38	SPUR GEAR / T 90	FINAL DRIVE RATIO 4.5

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /cSt	350
/	REBOUND %	/
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm
SHOCK LENGTH 8.5 /mm		SHOCK LENGTH 9.5 /mm	

1.1 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.6
ETS RIDE	TIRES	ETS RIDE
MR33 V3	ADDITIVE	MR33 V3
2*10 min	ADDITIVE TIMING	2*10 min

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1252 /g	WEIGHT BALANCE	FRONT 65 %	REAR 35 %
-----------------------------	----------------	-------------------	------------------

MOTOR	HW ETS 17.5	TIMING	
ESC	Hw limiter	BATTERIES	Nosram 4200
BODY	Blitty CA45	WING	std

<p>Dimension from body post to window bottom line</p> <p>WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p> <p>Dimension from body post to upper holder</p> <p>Dimension from edge to surface</p>	BODY POSITION
--	----------------------

<p>TOP DECK FLEX</p> <p>TOP DECK CUTTING</p>
--

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 2 /mm HEIGHT 19 /mm SHIM 6 /mm	TOE GAIN 7 /mm
0.5 /mm FF 5.0 /mm FR 0.5 /mm RIDE HEIGHT <input type="checkbox"/> SERVO SAVER <input type="checkbox"/> <input type="checkbox"/> SERVO HORN <input checked="" type="checkbox"/>	2.0 /mm RF 5.4 /mm RR 2.0 /mm RIDE HEIGHT <input checked="" type="checkbox"/>

2.0 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	FRONT SUSPENSION FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/> DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input checked="" type="checkbox"/> BLADE #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5.0 /mm DOWNSTOP	0.5 /mm SHIM 4.0 /mm FRONT HUB HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> SHIM 0.5 /mm
--	---	--	--

1.0 /deg. CAMBER Left = Right	REAR SUSPENSION SHIM 2 /mm SHIM 2 /mm REAR HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> SHIM 1.5 /mm
--	---

1.0 TOE OUT Left = Right DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM /mm	FRONT TOP VIEW STEERING ARM & BRIDGE <input checked="" type="checkbox"/> DUAL STD. <input type="checkbox"/> BRIDGE <input type="checkbox"/> SINGLE SHIMS 0 /mm ACKERMANN SHIM 0.5 /mm STEERING PLATE 8.0mm STD. <input type="checkbox"/> 7.5mm <input checked="" type="checkbox"/>	2.5 TOE IN Left = Right UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM /mm
--	--	--

WEIGHT LEFT & RIGHT #309825 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT BOTTOM VIEW STEER. LOCK 27 /deg. STEER. SHIM SIZE / /mm FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BUMPER WEIGHT #309824 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> MOTOR MOUNT CHASSIS GRAPHITE <input checked="" type="checkbox"/> REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
---	--	---