

SET-UP SHEET

XRAY XB4'22

RACE	Norwegian Championship 2023		
TRACK	Hvervenbukta, Oslo		
NAME	Robert Skar	DATE	2.9.2023

LAPS	14	BEST LAP TIME	21,4 sec
QUALIFYING POSITION	17	FINAL POSITION	16

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 10K cst	OIL 200K cst	OIL 7K cst

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
	ONE-WAY TIGHTNESS
SLIPPING ADJUSTMENT	LOOSE
	1 CCW TURN (BASIC SETUP)
	FULLY TIGHTEN

GEARING	
PINION 21	81 CENTER DIFF SPUR

FRONT	SHOCKS	REAR
3	SPRINGS	2
cst 650	OIL	cst 450
%	REBOUND	%
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.2mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 6 HOLES
	<input checked="" type="checkbox"/> ø1.4mm	
	<input type="checkbox"/> ø1.6mm	
	<input checked="" type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	mm	

FRONT	ANTI ROLL BAR	REAR
1,8 mm	THICKNESS	1,8 mm

FRONT	TIRES	REAR
Mini Dart	BRAND	Mini Dart
Yellow	COMPOUND	Yellow
preglued	INSERTS	preglued
preglued	WHEELS	preglued

ELECTRONICS		
MOTOR	HW 5,5T	HW XR10 Pro
MOTOR TIMING	30	Orca 4200
	BATTERY SIZE	
	STD. SHORT	<input checked="" type="checkbox"/> LOW SHORT

BODY	
TYPE	STANDARD <input checked="" type="checkbox"/> LIGHT

COMMENTS

FRONT	APPLIED	APPLIED	REAR
ALU C-HUB SHIM UP /mm DOWN /mm LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> DRIVE SHAFT CVD <input checked="" type="checkbox"/> ECS Length 83 /mm SHIM 0 mm LOWER SHOCK POSITION #107711 GAUGE DOWNSTOP mm #107701 SUPPORT BLOCKS #107711 GAUGE			REAR UPRIGHT DRIVE SHAFT Length 77 /mm SHIM 2 mm SHIMS 2 /mm HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 1° <input checked="" type="checkbox"/> 0.5° DOWNSTOP mm #107711 GAUGE

FRONT	CASTER	CASTER BLOCK	WING CUTTING LINE	WING SIDE LINE
CASTER 6° <input type="checkbox"/> 7° <input type="checkbox"/> 9° <input checked="" type="checkbox"/> 12° <input type="checkbox"/> OFFSET 2 BUMP STEER SHIM 2 mm	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	1 2 3 4 5 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> OFFSET 3 /slots UPRIGHT WHEELBASE SHIM 3 /mm IN FRONT OF ARM	HIGHER <input type="checkbox"/> LOWER <input checked="" type="checkbox"/> WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> WING THICKNESS 0.75 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 1.5 TYPE TEC	

FF	FR	ROLL CENTER	RF	RR
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	2° <input checked="" type="checkbox"/>

FRONT TOE	STEER. PLATE	REAR TOE	GRAPHITE FOR REAR BRACE	REAR BRACE	ARM SHIM
1	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> BUMP STEER SHIM 2 mm SHIM UNDER STEER. PLATE SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT <input type="checkbox"/> MATERIAL STANDARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	2	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	2 mm

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
2	DOWNSTOP SHIM 0 mm LENGTH 23 mm UPSTOP SHIM 2 mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	2 DOWNSTOP SHIM 0 mm LENGTH 30 mm UPSTOP SHIM 0 mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm	2

FRONT ARMS	BALANCE	SIDE GUARDS	BALANCE	REAR ARMS
LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	0 g	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	0 g	LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>				