

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	Danish nationals rnd 1				
TRACK	Vejele				
NAME			DATE		
QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME	
		/sec	/		

TRACK					
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT			
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST		
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH		

FRONT		TRANSMISSION		REAR	
GEAR DIFF OIL	/cSt	<input type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL	11k	/cSt
PINION	38	SPUR GEAR	100	FINAL DRIVE RATIO	

FRONT		SHOCKS		REAR	
2.5-2.8	XRAY SPRINGS	2.8			
425	OIL /cSt	425			
REBOUND %					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO			
<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> PSS <input type="checkbox"/> 1.2mm	<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm <input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> PSS <input type="checkbox"/> 1.2mm		
0.8mm x2		0.8mm x2			
SHOCK LENGTH	9	SHOCK LENGTH	9		

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Rush 30		TIRES		
Phub blue		ADDITIVE		
10-15		ADDITIVE TIMING		
		WIPE OFF TIME		
		TIRE WARMERS		
Timing:	Temp.:	Timing:	Temp.:	
FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT	
TREATED AREA				

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT 52 %	REAR 48 %
MOTOR	Ets 17,5	TIMING	Fixed	
ESC	Ruddog	BATTERIES	Ruddog	
BODY	Twister speciale	WING	Twister speciale	

64	/mm	Dimension from body post to window bottom line	BODY POSITION
7 +2		Dimension from body post to upper holder	WING SIDE PLATE
			YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
		Dimension from edge to surface	63

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23	<input checked="" type="checkbox"/>	
X4'22	<input type="checkbox"/>	
X4'22	<input type="checkbox"/>	
	NONE <input type="checkbox"/>	BEARING <input type="checkbox"/>

COMMENTS	

FRONT & REAR SUSPENSION	
FRONT CASTER <input type="checkbox"/> 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 2 /mm	HEIGHT /mm
SHIM /mm	SHIM /mm
1.5 /mm FF 5 /mm RIDE HEIGHT FR 1.5 /mm SERVO SAVER <input type="checkbox"/> SERVO HORN <input type="checkbox"/>	TOE GAIN 2 /mm
3 /mm RF 5.2 /mm RIDE HEIGHT RR 3 /mm	3 /mm RR

FRONT	
1.75 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm
SHOCK HOLDERS SHIM 2 /mm	SHOCK HOLDERS YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE	FRONT HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.6 /mm DOWNSTOP	

REAR	
2 /deg. CAMBER Left = Right	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>
SHOCK HOLDERS SHIM 4 /mm	SHOCK HOLDERS FIXED <input type="checkbox"/> ACTIVE <input checked="" type="checkbox"/>
SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHIM 1.5 /mm
DRIVE SHAFT <input type="checkbox"/> 52mm <input checked="" type="checkbox"/> 54mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE	REAR HUB MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.4 /mm DOWNSTOP	

FRONT TOP VIEW		REAR	
1.5 /mm TOE OUT Left = Right	ACKERMANN SHIM 1 /mm	2.75 /mm TOE IN Left = Right	SHORT LiPo BRASS WEIGHT YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
DIFF POSITION <input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> +1mm	BRASS WEIGHT FOR MOTOR MOUNT 40g	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/> +1mm	UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/>
UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING SHIM /mm PLATE 8.5 /mm <input checked="" type="checkbox"/> 8.0mm <input type="checkbox"/> 7.5mm <input type="checkbox"/> STD.	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM /mm

FRONT BOTTOM VIEW		REAR	
STEER. LOCK 24 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	FR RE SERVO HOLDER	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU 1.5mm <input type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU 1.5mm <input type="checkbox"/>