

SET-UP SHEET

X4F'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'24

RACE	SRS Final round & TOS Rd.6		
TRACK	Siersburg		
NAME	Jacques Libar	DATE	21&22/10/23

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
21	1	1	16.2 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
-------	--------------	------

GEAR DIFFERENTIAL - OIL	200K /cSt
-------------------------	-----------

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	100	5.0

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
425	OIL /cSt	425
/	REBOUND %	/
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	<input type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.1mm	<input type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> PSS
2*0.8		2*0.8	
SHOCK LENGTH	8.5 /mm	SHOCK LENGTH	9.5 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.6
-----	--------------	---------------	--------------	-----

ETS Ride slick	TIRES	ETS Ride slick
Mr33 V4	ADDITIVE	Mr33 V4
15 min	ADDITIVE TIMING	15 min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1265 /g	WEIGHT BALANCE	FRONT 67 % REAR 33 %
--------------	---------	----------------	----------------------

MOTOR	HW ETS 17.5	TIMING	
ESC	HW ETS limiter	BATTERIES	Nosram 3700
BODY	Bitty CA45	WING	std

	Dimension from body post to window bottom line /mm BODY POSITION
	Dimension from body post to upper holder /mm WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	Dimension from edge to surface /mm

	TOP DECK CUTTING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
--	---

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER
<input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	1 /mm	19 /mm	5 /mm		<input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input checked="" type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
	2.0 /mm FF <input checked="" type="checkbox"/> RIDE HEIGHT	FR 2.0 /mm <input checked="" type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN		TOE GAIN 6 /mm	
					3.0 /mm RF <input checked="" type="checkbox"/> RIDE HEIGHT
					5.4 /mm RR <input checked="" type="checkbox"/> RIDE HEIGHT
					RR 3.0 /mm <input checked="" type="checkbox"/>

FRONT	FRONT SUSPENSION	FRONT HUB
2.0 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	1 /mm SHIM 3 /mm FRONT SHOCK POSITION 1 2 FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/> DRIVE SHAFT 58mm 59mm BEARING BLADE #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.6 /mm DOWNSTOP
		SHIM 0.5 /mm

REAR	REAR SUSPENSION	REAR HUB
1.0 /deg. CAMBER Left = Right	2 /mm SHIM 0 /mm REAR SHOCK POSITION 1 2	SHIM 1 /mm
		HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT TOP VIEW	REAR
1.0 TOE OUT Left = Right DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> ACKERMANN SHIM 0 /mm HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM/mm	1.0 TOE IN Left = Right STEERING ARM & BRIDGE <input checked="" type="checkbox"/> DUAL STD. <input checked="" type="checkbox"/> BRIDGE <input type="checkbox"/> SINGLE SHIMS 0 /mm BATTERY WEIGHT PLATE STEERING PLATE 8.0mm STD. <input type="checkbox"/> 7.5mm <input checked="" type="checkbox"/> UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
WEIGHT LEFT & RIGHT #309825 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> BUMPER WEIGHT #309824 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/> MOTOR MOUNT CHASSIS GRAPHITE <input checked="" type="checkbox"/> REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>