

SET-UP SHEET

XT2'23 SET-UP SHEET VER. 1 ©XRAY 2022

XRAY XT2'23

RACE	Jconcepts NCTS5 Final		
TRACK	Island Speedway		
NAME	Austin Jacobson	DATE	10-20-23

LAPS		BEST LAP TIME	15.2 sec
QUALIFYING POSITION	1st	FINAL POSITION	

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input type="checkbox"/>	<input checked="" type="checkbox"/> GEAR DIFF	OIL 20k cSt
SATELLITE GEARS	COMPOSITE <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input checked="" type="checkbox"/>
SLIPPER	2 PAD <input type="checkbox"/>	3 PAD <input type="checkbox"/>	ELIMINATOR <input checked="" type="checkbox"/>

GEARING			
PINION	25 T	SPUR GEAR	78 T

FRONT	SHOCKS	REAR
Ae V2 Red	SPRINGS	Ae v2 Blue
cSt 450	OIL	cSt 400
<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES	PISTONS <input checked="" type="checkbox"/> ø1.2mm <input type="checkbox"/> ø1.3mm <input type="checkbox"/> ø1.4mm <input type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES
DOWNSTOP SHIM		DOWNSTOP SHIM
LENGTH 24 mm		LENGTH 28 mm
UPSTOP SHIM		UPSTOP SHIM
6 mm		6 mm
Ae +2 eyelet		Ae +4 eyelet

FRONT	ANTI ROLL BARS	REAR
1.3 mm	THICKNESS	1.6 mm

FRONT	TIRES	REAR
Jc Swagger	BRAND	Jc fuzz bite
Stock	COMPOUND	Stock
Jc mono	WHEELS	Jc mono

ELECTRONICS			
MOTOR	Trinity xfacto	Tekin RSX Pro	SPEEDO
MOTOR TIMING	13.5 @ 46°	Fantom 5200	BATTERY

BODY	
1mm	OTHER Jc T6.1 F2

COMMENT
 Xb2 front and rear shock towers and shocks
 Shock location 2nd from outside front tower
 Shock location 2nd from inside rear tower
 Hole drilled 11mm from inside hole on rear arm
 Spur #365878

FRONT		APPLIED <input type="checkbox"/> <input checked="" type="checkbox"/> APPLIED		REAR	
LONGER BUSHINGS	UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	GRAPHITE SHOCK TOWER POSITION	SHIM 2 /mm	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input type="checkbox"/>	
CASTER BLOCK	MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	DRIVE SHAFT	CVD <input checked="" type="checkbox"/> ECS <input type="checkbox"/> Length /mm	SHIM 2 mm	
STEERING BLOCK	MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	LOWER SHOCK POSITION	SHIM 0 mm	SHIM 0 mm	
CAMBER LINK LOCATION		LOWER SHOCK POSITION	SHIM 0 mm	SHIM 0 mm	
		LOWER SHOCK POSITION	SHIM 0 mm	SHIM 0 mm	

FRONT		REAR	
CASTER BUSHINGS	0° <input type="checkbox"/> 2.5° <input type="checkbox"/> 5° <input checked="" type="checkbox"/>	STEERING ARMS	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
OTHER		SHIMS	0 /mm
KICK-UP ANGLE	23° <input checked="" type="checkbox"/> KIT 26° <input type="checkbox"/> 29° <input type="checkbox"/>	STEERING PLATE	COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>
BUMP STEER	SHIM 0 /mm	ROLL CENTER	ECCENTRIC BUSHINGS
		RF	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
		RR	1° <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/>

FRONT		REAR	
FRONT TOE	-1	REAR TOE	-2
OFFSET	0 SLOTS	OFFSET	6 SLOTS
WHEELBASE SHIM	0mm <input checked="" type="checkbox"/> 1mm <input type="checkbox"/>	WHEELBASE SHIM	0 /mm
ROLL CENTER HOLDER	MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> ALU <input type="checkbox"/>	BATTERY PLACEMENT	LONG SIDE FRONT <input type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>
UPPER DECK	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BATTERY SIZE	STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/>
		UPPER BRACE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

FRONT		REAR	
FRONT CAMBER	-2	REAR CAMBER	-3
FRONT ARM	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	REAR ARM	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
RIDE HEIGHT	18 mm	RIDE HEIGHT	18 mm
		RIDE HEIGHT	18 mm

FRONT		REAR	
ARM MOUNT	COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	REAR ARM	SHIMS 0 /mm
CHASSIS BRACE	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	WING	HIGH <input type="checkbox"/> LOW <input type="checkbox"/> OTHER /mm
SERVO WEIGHT	STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	CHASSIS	ALU <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
		CHASSIS FLEX	SCREW USED <input type="checkbox"/> SCREW NOT USED <input type="checkbox"/>