

SET-UP SHEET

XT2'23 SET-UP SHEET VER. 1 ©XRAY 2022

XRAY XT2'23

RACE	Gemünden am Main		
TRACK	EOS Teppich		
NAME	Elias Jordan	DATE	26.11.23

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	1	FINAL POSITION	

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input type="checkbox"/>	<input checked="" type="checkbox"/> GEAR DIFF	OIL 12k cSt
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	<input checked="" type="checkbox"/> STEEL	GEARS 2 <input type="checkbox"/> 4
SLIPPER	2 PAD <input checked="" type="checkbox"/>	3 PAD <input type="checkbox"/>	0 mm
	ELIMINATOR <input type="checkbox"/>		

GEARING			
PINION	20 T	SPUR GEAR	81 T

FRONT	SHOCKS	REAR
Asso grey	SPRINGS	Xray 2 dot
cSt 550	OIL	500 cSt
<input type="checkbox"/> 2 HOLES <input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 6 HOLES	PISTONS <input checked="" type="checkbox"/> ø1.2mm <input type="checkbox"/> ø1.3mm <input type="checkbox"/> ø1.4mm <input type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 2 HOLES <input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 6 HOLES
DOWNSTOP SHIM 0 mm	DOWNSTOP SHIM 1 mm	DOWNSTOP SHIM 1 mm
UPSTOP SHIM 2oring mm	UPSTOP SHIM 1oring mm	UPSTOP SHIM 1oring mm
BALL JOINT	BALL JOINT	BALL JOINT

FRONT	ANTI ROLL BARS	REAR
1.6 mm	THICKNESS	0.0 mm

FRONT	TIRES	REAR
Schumacher	BRAND	Schumacher
Yellow	COMPOUND	Yellow
Losi	INSERTS	CS soft
Asso	WHEELS	Asso

ELECTRONICS			
MOTOR	Absima 6.5t	Absima	SPEEDO
MOTOR TIMING	20	Absima	BATTERY

BODY			
1mm	<input type="checkbox"/> 0.75mm LIGHT	OTHER	Asso

COMMENT			

FRONT	APPLIED	APPLIED	REAR
LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	GRAPHITE SHOCK TOWER POSITION 1 2 3 4 5 6 7 8	SHIM 2 /mm <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW	SHIM 4 mm CVD <input checked="" type="checkbox"/> ECS <input type="checkbox"/> Length 94 /mm
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	CAMBER LINK LOCATION 1 2 3	SHIM 3 mm SHIM 2 mm LOWER SHOCK POSITION 1 2 3 4	SHIM 0.5° SHIM 1°

FRONT	REAR
CASTER BUSHINGS 0° <input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 5° <input type="checkbox"/> OTHER <input type="checkbox"/>	STEERING ARMS COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
KICK-UP ANGLE 23° <input checked="" type="checkbox"/> KIT 26° <input type="checkbox"/> 29° <input type="checkbox"/>	SHIMS 1 /mm STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/>
BUMP STEER SHIM 0 /mm	ROLL CENTER ECCENTRIC BUSHINGS 1° <input type="checkbox"/> 0.5° <input type="checkbox"/>

FRONT	REAR
FRONT TOE 0 OFFSET Org SLOTS WHEELBASE SHIM 0mm <input checked="" type="checkbox"/> 1mm <input type="checkbox"/> ROLL CENTER HOLDER MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> ALU <input type="checkbox"/>	REAR TOE 2 IN OFFSET ORG SLOTS WHEELBASE SHIM 2 /mm COMPOSITE ROLL CENTER ALU
UPPER DECK MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	BATTERY PLACEMENT LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/> BATTERY SIZE STD. SHORT <input checked="" type="checkbox"/> LOW SHORT <input type="checkbox"/> UPPER BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

FRONT	REAR
FRONT CAMBER 1.5° FRONT ARM MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	REAR CAMBER 1.5° REAR ARM MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>
RIDE HEIGHT 22 mm #10721 GAUGE	RIDE HEIGHT 22 mm RIDE HEIGHT 22 mm

FRONT	REAR
ARM MOUNT COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	REAR ARM SHIMS 2 /mm
CHASSIS BRACE MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	WING HIGH <input checked="" type="checkbox"/> LOW <input type="checkbox"/> OTHER /mm
SERVO WEIGHT STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	CHASSIS ALU <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	