

SET-UP SHEET

XB2'23 SET-UP SHEET VER. 1 ©XRAY 2022

XRAY XB2'23

RACE		
TRACK	Richfield	
NAME	ethan mackanick	DATE 2023-12-04

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK	
SIZE	<input type="checkbox"/> OPEN <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH
SURFACE	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY <input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

TRANSMISSION	
DIFFERENTIAL	
BALL DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/> ACTIVE DIFF <input type="checkbox"/>
OIL 500k cst	
60° 90° 120°	
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> <input checked="" type="checkbox"/> STEEL GEARS 2 <input checked="" type="checkbox"/> 4
SLIPPER	2 PAD <input checked="" type="checkbox"/> 3 PAD <input type="checkbox"/> <input type="checkbox"/> mm

GEARING	
PINION	20 T
SPUR GEAR	81 T

GEAR BOX	
FRONT LCG	<input checked="" type="checkbox"/> REAR LCG <input type="checkbox"/>

FRONT	SHOCKS	REAR
SPRINGS		
cst 350	OIL	350 cst
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
	OTHER	
	ø mm 1.9 mm	
DOWNSTOP SHIM	LENGTH	DOWNSTOP SHIM
UPSTOP SHIM	LENGTH	UPSTOP SHIM
COLLAR	STANDARD -2mm	COLLAR
OTHER	KIT	OTHER

FRONT	SHOCK TOWER	REAR
ALU <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
1.2 mm	THICKNESS	1.2 mm

FRONT	TIRES	REAR
pin swag	BRAND	nessi
none	COMPOUND	
	INSERTS	stk
	WHEELS	

ELECTRONICS	
MOTOR	4.5 xr10
MOTOR TIMING	4800
SPEEDO	BATTERY

BODY	
2c	LIGHT

COMMENT	

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM /mm
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	SHIM 3 /mm	REAR UPRIGHT HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input checked="" type="checkbox"/>
CAMBER LINK LOCATION 1 2 3 4 5 6	SHIM 4 /mm	DRIVE SHAFT Length /mm
FLAT ARM 1 2 3	SHIM 2 /mm	XB2D SUSP. ARM 1 2 3
LSM ARM 1 2	XB4 SUSP. ARM 1 2	#325341 ADJ. DRIVE AXLE 1 2 3 4

FRONT	WING POSITION	SHOCK TOWER
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 2 /mm	SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>
WING CUTTING LINE / SIDE LINE 1 2 3 4 5	WING TYPE CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	EXTENSION	REAR TOE
OUT	0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input checked="" type="checkbox"/> 3 SLOTS <input type="checkbox"/>	IN
OFFSET /slots	BATTERY PLACEMENT LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	OFFSET 4 /slots
WHEELBASE SHIM 2 /mm	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/>	WHEELBASE SHIM /mm
ROLL CENTER HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	GUARD BRACE FLEX 1 2	ROLL CENTER HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
SERVO HORNS SHIM /mm	SERVO BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	UPPER BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

STEERING ARMS	REAR ROLL CENTER HOLDERS
HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
SHIMS 2 /mm	

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	
RIDE HEIGHT 14 /mm	RIDE HEIGHT 14 /mm	RIDE HEIGHT 14 /mm

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	0 /mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BALANCE 1 2 3 POSITION	CHASSIS ALU MID (KIT) <input type="checkbox"/> ALU LONG <input type="checkbox"/> GRAPHITE MID <input type="checkbox"/>
SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	