

RACE	Mrc Longwy Winterseries Rd.3				
TRACK	Mrc Longwy				
NAME	Jacques Libar		DATE	17.12.23	

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
20	1	1	14.9 /sec	/	

TRACK

TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED
	<input type="checkbox"/> FAST	
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM
	<input type="checkbox"/> HIGH	

FRONT	TRANSMISSION	REAR
GEAR DIFFERENTIAL - OIL		
200K /cst		

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	90	4.5

FRONT	SHOCKS	REAR
2.6-2.9	XRAY SPRINGS	2.6
450	OIL /Cst	450
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

☒ 4 HOLES ☐ PSS

☒ 1.1mm ☐ 1.2mm

☐ 1.1mm ☒ 1.2mm ☐ PSS ☐

SHOCK LENGTH	ANTI-ROLL BAR	SHOCK LENGTH
8.5 /mm	THICKNESS/mm	9.5 /mm
1.1		1.8

Ride ETS	TIRES	
MR33 V4	ADDITIVE	
20 min	ADDITIVE TIMING	

FRONT LEFT

FRONT RIGHT

TREATED AREA

REAR LEFT

REAR RIGHT

TOTAL WEIGHT	1254 /g	WEIGHT BALANCE	FRONT 67 %	REAR 33 %
--------------	---------	----------------	------------	-----------

MOTOR	Team Zombie 17.5 EVO II	TIMING
ESC	Team Zombie	BATTERIES
		Nosram 3700
BODY	Gorilla	WING
		std

BODY POSITION

WING SIDE PLATE YES ☐ NO ☐

TOP DECK CUTTING

FRONT

FRONT CASTER

Adjust with eccentric bushings

5° ☒ 4° ☐ 3° ☐

BUMP STEER

0 /mm

HEIGHT

19 /mm

SHIM

6 /mm

1 /mm FF

5.0 /mm

FR 1 /mm

☐ SERVO SAVER

☒ SERVO HORN

REAR

REAR CASTER

Adjust with eccentric bushings

0.5° ☐ 1.5° ☐ 2.5° ☐ 3.5° ☐ 4.5° ☒ 5.5° ☐

TOE GAIN

5 /mm

3.0 /mm RF

☒ ☐

5.6 /mm RR

☒ ☐

FRONT

2.5 /degr. CAMBER

Left = Right

BODY STOP

YES ☒ NO ☐

FRONT BRACE

YES ☐ NO ☒

BULKHEAD SHIMS

YES ☒ 3mm ☐ NO ☐

DRIVE SHAFT

☒ 58mm ☐ 59mm

☐ BEARING ☐ BLADE

SHIM

0.5 /mm

REAR

0.5 /degr. CAMBER

Left = Right

SHIM

2 /mm

REAR HUB

HARD ☐

GRAPHITE ☒

ALU ☐

SHIM

2.0 /mm

FRONT TOP VIEW

0.5 /mm TOE OUT

Left = Right

STEERING ARM & BRIDGE

☒ DUAL STD. ☐ BRIDGE

☐ SINGLE

SHIMS

0 /mm

ACKERMANN

SHIM 0.5 /mm

UPPER ARM

SOFT ☒

MEDIUM ☐

HUB OFFSET

STD. ☐ -0.5mm ☒ +0.5mm ☐

SHIM/mm

REAR TOP VIEW

3.0 /mm TOE IN

Left = Right

STEERING PLATE

8.0mm ☐ STD. ☐

7.5mm ☒

UPPER ARM

SOFT ☐

MEDIUM ☒

HUB OFFSET

STD. ☐ -0.5mm ☒ +0.5mm ☐

SHIM/mm

FRONT BOTTOM VIEW

WEIGHT LEFT & RIGHT

#309825

YES ☒ NO ☐

STEER. LOCK

27 /degr.

BUMPER WEIGHT

#309824

YES ☐ NO ☒

STEER. SHIM

SIZE 0 /mm

FRONT BRACE

YES ☐ NO ☐

CHASSIS

GRAPHITE ☒

REAR BOTTOM VIEW

T-BRACE

ALU ☐

BRASS ☐

REAR ARMS

MEDIUM ☒

HARD ☐