

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE			
TRACK	Bayside Wynnum Manly		
NAME	Darren Cains	DATE	

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
		/sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 4000 /cSt
PINION 40 /T	SPUR GEAR 96 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.5
400	OIL /cSt	400
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm		SHOCK LENGTH 8.5 /mm	

2.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	2.2
-----	--------------	---------------	--------------	-----

Solaris 36J	TIRES	Solaris 36J
MR33 V3	ADDITIVE	MR33 V3
	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	HW 13.5	TIMING	
ESC	HW Elite G2	BATTERIES	Mach-1 6400 ULCG
BODY	Protoform P63	WING	Protoform P63

	Dimension from body post to window bottom line	BODY POSITION
	Dimension from body post to upper holder	WING SIDE PLATE
	Dimension from edge to surface	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

X4'23	<input checked="" type="checkbox"/>	1.6mm	<input checked="" type="checkbox"/>	2.0mm	<input checked="" type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	NONE	<input type="checkbox"/>	BEARING	<input type="checkbox"/>	

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER	REAR CASTER
Adjust with eccentric bushings	Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm	UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2 /mm FF 5.2 /mm FR 2 /mm	TOE GAIN 5 /mm 2 /mm RF 5.4 /mm RR 2 /mm
RIDE HEIGHT	RIDE HEIGHT
<input type="checkbox"/> SERVO SAVER	<input checked="" type="checkbox"/> SERVO HORN

-5 /deg. CAMBER	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SUSPENSION	1 /mm SHIM 2 /mm	FRONT HUB
Left = Right	17 /mm	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SHOCK POSITION	HARD <input type="checkbox"/>
		BULKHEAD SHIMS YES <input type="checkbox"/> 3mm NO <input type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/>
DRIVE SHAFT 58mm 59mm	BEARING BLADE			ALU <input type="checkbox"/>
				kit
				SHIM .5 /mm

-5 /deg. CAMBER	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION	.5 /mm SHIM 1 /mm	REAR HUB
Left = Right			REAR SHOCK POSITION	HARD <input checked="" type="checkbox"/>
				GRAPHITE <input type="checkbox"/>
DRIVE SHAFT 52mm 54mm	BEARING BLADE			ALU <input type="checkbox"/>
				kit
				SHIM .5 /mm

FRONT TOP VIEW		REAR
+1.5 TOE OUT	ACKERMANN SHIM 2 /mm	-3 TOE IN
Left = Right		Left = Right
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW		REAR
STEER. LOCK 25 /deg.	STEER. SHIM SIZE 7.5 /mm	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FR SERVO HOLDER	MOTOR MOUNT
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> kit	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/> kit	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/> kit