

RACE	Fors series round 4	
TRACK		
NAME	Oiva Metsola	DATE 13.1.2024

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK	
SIZE	<input type="checkbox"/> OPEN <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT
TRACTION	
<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH	
SURFACE	<input type="checkbox"/> SMOOTH <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 10 cSt	OIL cSt	OIL 10 cSt

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/> 41T	CROWN GEAR	40T <input checked="" type="checkbox"/> 41T

CENTRAL SLIPPER & ONE-WAY SETTING	
SLIPPING	ONE-WAY TIGHTNESS
12 mm	1 CCW TURN (BASIC SETUP)
PLATES	FULLY TIGHTEN
KIT <input checked="" type="checkbox"/> VENTILATED	

GEARING	
PINION 18	SPUR GEAR 81

FRONT	SHOCKS	REAR
Dot 4	SPRINGS	Dot 4
cSt 550	OIL	cSt 450
% 0	REBOUND	% 0
2 HOLES <input checked="" type="checkbox"/>	ø1.6mm <input type="checkbox"/>	2 HOLES <input checked="" type="checkbox"/>
Holes	ø1.8mm <input checked="" type="checkbox"/>	Holes
KIT 2.0mm <input checked="" type="checkbox"/>	PISTON THICKNESS	KIT 2.0mm <input type="checkbox"/>
Precision 2.5mm <input type="checkbox"/>	2.5mm <input type="checkbox"/>	Precision
KIT 0mm <input type="checkbox"/>	COLLAR	KIT 0mm <input type="checkbox"/>
ALU -2mm <input checked="" type="checkbox"/>	4mm <input checked="" type="checkbox"/>	ALU <input checked="" type="checkbox"/>
+4mm <input type="checkbox"/>	BALL JOINT	+2mm <input type="checkbox"/>
+2mm <input type="checkbox"/>	KIT	+4mm <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
1.8 mm	THICKNESS	1.8 mm

FRONT	TIRES	REAR
Shum wide stagger	BRAND	Shum mini dart
Yellow	COMPOUND	Yellow
Shum medium	INSERTS	Shum medium
Xray	WHEELS	Xray

ELECTRONICS		
MOTOR HW 5.5	HW XR10PRO g2s	SPEEDO
MOTOR TIMING 30	4800	BATTERY

BODY	TOTAL WEIGHT
Gamma 4c	/g

COMMENTS

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
CASTER BLOCK	LONGER BUSHINGS	DRIVE SHAFT
MEDIUM - KIT <input type="checkbox"/>	UP <input type="checkbox"/>	CVD <input type="checkbox"/> ECS
HARD <input type="checkbox"/>	DOWN <input checked="" type="checkbox"/>	Lenght 81 /mm
GRAPHITE <input type="checkbox"/>		SHIM 2 /mm
ALU <input checked="" type="checkbox"/>		
ALU C-HUB		
UP /mm		
DOWN /mm		
ALU <input checked="" type="checkbox"/>		
STEERING BLOCK		
MEDIUM - KIT <input type="checkbox"/>		
HARD <input type="checkbox"/>		
GRAPHITE <input type="checkbox"/>		

CASTER	SERVO SAVER	WING TYPE
6° <input checked="" type="checkbox"/> 7° <input type="checkbox"/> 9° <input type="checkbox"/> 12° <input type="checkbox"/>	SOFT <input type="checkbox"/>	Lush
OFFSET	MEDIUM <input checked="" type="checkbox"/>	KIT <input checked="" type="checkbox"/> THICK
/slots	TIGHT <input type="checkbox"/>	WING POSITION
	MATERIAL	UP <input checked="" type="checkbox"/>
	KIT <input checked="" type="checkbox"/>	MIDDLE <input type="checkbox"/>
	GRAPHITE <input type="checkbox"/>	DOWN <input type="checkbox"/>
	BUMP STEER	OFFSET
	2 /mm	/slots

FF	1° <input checked="" type="checkbox"/>	RF	1° <input checked="" type="checkbox"/>
	0.5° <input type="checkbox"/>		0.5° <input type="checkbox"/>
FR	1° <input checked="" type="checkbox"/>	RR 2°	1° <input checked="" type="checkbox"/>
	0.5° <input type="checkbox"/>		0.5° <input type="checkbox"/>

FRONT TOE	STEER. PLATE	REAR TOE	GRAPHITE FOR REAR BRACE
1	HARD <input type="checkbox"/>	2	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
	GRAPHITE <input type="checkbox"/>		REAR BRACE
	ALU <input checked="" type="checkbox"/>		MEDIUM <input checked="" type="checkbox"/>
	BUMP STEER		HARD <input type="checkbox"/>
	SHIM 5 mm		GRAPHITE <input type="checkbox"/>
	SHIM UNDER STEER. PLATE		BATTERY SIZE
			STANDARD SHORT <input type="checkbox"/>
			LOWER SHORT <input checked="" type="checkbox"/>

FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
1.5°			
CAP			CAP
KIT <input checked="" type="checkbox"/>			KIT <input checked="" type="checkbox"/>
ALU <input type="checkbox"/>			ALU <input type="checkbox"/>
DOWNSTOP			DOWNSTOP
0 mm			0 mm
LENGTH			LENGTH
23 mm			28 mm
UPSTOP			UPSTOP
0 mm			0 mm
FRONT	RISE HEIGHT	REAR	RISE HEIGHT
	16 mm		16 mm

FRONT ARMS	BALANCE	MOTOR MOUNT	BALANCE	REAR ARMS
LONG <input type="checkbox"/>	0 g	FRONT <input checked="" type="checkbox"/> REAR	0 g	LONG KIT <input checked="" type="checkbox"/>
SHORT KIT <input checked="" type="checkbox"/>				SHORT <input type="checkbox"/>
MEDIUM KIT <input checked="" type="checkbox"/>				MEDIUM KIT <input checked="" type="checkbox"/>
HARD <input type="checkbox"/>				HARD <input type="checkbox"/>
GRAPHITE <input type="checkbox"/>				GRAPHITE <input type="checkbox"/>
CHASSIS				TRANSMISSION
2.0mm KIT <input checked="" type="checkbox"/>				STANDARD <input checked="" type="checkbox"/>
2.5mm <input type="checkbox"/>				SHORT <input type="checkbox"/>
STEERING PLATE				
1 DOT <input type="checkbox"/>				
2 DOTS <input type="checkbox"/>				
3 DOTS <input type="checkbox"/>				
STEERING PLATE FOR ALU STEERING BLOCK				