

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	INFINITY Naot CAP				
TRACK					
NAME	sawada shin		DATE	2024/01/14	
QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME	
		/sec	/		

TRACK		
TRACK SURFACE	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT		TRANSMISSION		REAR	
GEAR DIFF OIL	/cSt	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL	7000 /cSt	
PINION	110 /T	SPUR GEAR	36 /T	FINAL DRIVE RATIO	

FRONT		SHOCKS		REAR	
2.6-2.9		XRAY SPRINGS		2.9	
350		OIL /cSt		350	
		REBOUND %			
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS		<input type="checkbox"/> YES <input type="checkbox"/> NO		
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm
SHOCK LENGTH		8.5 /mm	SHOCK LENGTH		8.5 /mm
1.2		THICKNESS/mm	ANTI-ROLL BAR		THICKNESS/mm 1.5

TOTAL WEIGHT		/g	WEIGHT BALANCE		FRONT %	REAR %
MOTOR	H/W-G4-17.5		TIMING			
ESC	H/W-G2S		BATTERIES			
BODY			WING			
FRONT LEFT		FRONT RIGHT	REAR LEFT		REAR RIGHT	
TREATED AREA		TREATED AREA		TREATED AREA		

TOTAL WEIGHT		/g	WEIGHT BALANCE		FRONT %	REAR %
MOTOR	H/W-G4-17.5		TIMING			
ESC	H/W-G2S		BATTERIES			
BODY			WING			

BODY POSITION	
Dimension from body post to window bottom line	
WING SIDE PLATE	
YES <input type="checkbox"/> NO <input type="checkbox"/>	
Dimension from body post to upper holder	
Dimension from edge to surface	

TOP DECK CUTTING	
1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	
2.0mm <input type="checkbox"/> 1.6mm	
NONE <input type="checkbox"/> BEARING	

COMMENTS	
----------	--

FRONT CASTER		FRONT & REAR SUSPENSION		REAR CASTER	
Adjust with eccentric bushings				Adjust with eccentric bushings	
5° 4° 3°		BUMP STEER 3 /mm		0.5° 1.5° 2.5° 3.5° 4.5° 5.5°	
		HEIGHT 18 /mm			
		SHIM 5 /mm			
2 /mm FF		FR 2 /mm		TOE GAIN 3 /mm	
RIDE HEIGHT		SERVO SAVER		2.5 /mm RF	
		SERVO HORN		RIDE HEIGHT	
				RR 2.5 /mm	

2 /deg. CAMBER		BODY STOP		FRONT	
Left=Right		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		1 /mm SHIM 3 /mm	
		SHOCK HOLDERS		SHIM 2 /mm	
		SHIM		SUSPENSION FLEX	
		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input type="checkbox"/>	
		DRIVE SHAFT		SHIM 0.5 /mm	
		58mm 59mm BEARING BLADE		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5.5 /mm DOWNSTOP	

2 /deg. CAMBER		BODY POST		REAR	
Left=Right		VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>		1 /mm SHIM 3 /mm	
		SHOCK HOLDERS		SHIM 2 /mm	
		FIXED <input checked="" type="checkbox"/> ACTIVE <input type="checkbox"/>		SUSPENSION FLEX	
		SHIM		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		DRIVE SHAFT		SHIM 0.5 /mm	
		52mm 54mm BEARING BLADE		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.5 /mm DOWNSTOP	

1 TOE OUT		FRONT TOP VIEW		REAR	
Left=Right		ACKERMANN		TOE IN	
		SHIM /mm		Left=Right	
		SHORT LiPo BRASS WEIGHT		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		BRASS WEIGHT FOR MOTOR MOUNT		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
		DIFF POSITION		DIFF POSITION	
		UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> +1mm		UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> +1mm	
		UPPER ARM		UPPER ARM	
		SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>		SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>	
		STEERING BRIDGE		STEERING	
		YES <input type="checkbox"/> NO <input type="checkbox"/>		SHIM /mm	
		HUB OFFSET		HUB OFFSET	
		STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm		STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	

FRONT BOTTOM VIEW		REAR	
STEER. LOCK 2.8 /deg.		T-BRACE	
		ALU BRASS	
FR RE		CHASSIS T-BRACE	
SERVO HOLDER		MOTOR MOUNT	
FRONT ARMS		CHASSIS	
MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU 1.5mm	
		REAR ARMS	
		MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	