

SET-UP SHEET

XB2'24 SET-UP SHEET VER. 1 ©XRAY 2023

XRAY XB2'24

RACE	Hobbyplex Summer Series		
TRACK	Hobbyplex Omaha		
NAME	Tom Rinderknecht	DATE	2024-05-18

LAPS	24	BEST LAP TIME	20.3 sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
BALL DIFF	<input checked="" type="checkbox"/>	GEAR DIFF	<input type="checkbox"/>
DIFFERENTIAL	OIL <input type="text"/> cst 60° 90° 120°		
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	<input type="text"/> mm	NUT	2-PAD SLIPPER CLUTCH PLATES
SOLID AXLE	<input type="checkbox"/>	KIT	<input checked="" type="checkbox"/> VENTILATED

GEARING			
PINION	23	SPUR GEAR	78
TYPE	FRONT LCG <input checked="" type="checkbox"/> REAR LCG <input type="checkbox"/> KIT <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>		

FRONT	SHOCKS	REAR
Grey	SPRINGS	
cst 350	OIL	300 cst
2 HOLES <input checked="" type="checkbox"/>	<input type="checkbox"/> ø1.6mm <input type="checkbox"/>	2 HOLES <input checked="" type="checkbox"/>
<input type="checkbox"/> ø1.8mm	<input checked="" type="checkbox"/> ø1.8mm	<input type="checkbox"/> ø1.9mm
Thickness 2.0mm <input checked="" type="checkbox"/> 2.5mm	KIT <input type="checkbox"/> ALU <input type="checkbox"/>	Thickness 2.0mm <input checked="" type="checkbox"/> 2.5mm
Precision <input checked="" type="checkbox"/> KIT	DOWNSTOP SHIM	Precision <input checked="" type="checkbox"/> KIT
LENGTH 23 mm	INSERT UNDER PISTON	LENGTH 29.5 mm
UPSTOP SHIM	INSERT ABOVE COLLAR	
KIT <input type="checkbox"/> 0mm <input type="checkbox"/>	KIT <input type="checkbox"/> 0mm <input type="checkbox"/>	
ALU <input type="checkbox"/> -2mm <input type="checkbox"/>	ALU <input type="checkbox"/> -2mm <input type="checkbox"/>	
-4mm <input type="checkbox"/>	COLLAR	
BALL JOINT		

FRONT	ANTI ROLL BAR	REAR
	THICKNESS	

FRONT	TIRES	REAR
C Smoothie :	BRAND	
Silver	COMPOUND	
Grey	INSERTS	Grey
	WHEELS	

ELECTRONICS			
MOTOR	7t	R1	SPEEDO
MOTOR TIMING	30	R1 4400 ULC	BATTERY

BODY	TOTAL WEIGHT
<input checked="" type="checkbox"/> LIGHT	/g

COMMENT

FRONT		APPLIED <input type="checkbox"/> <input checked="" type="checkbox"/> APPLIED		REAR	
CASTER BLOCK MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU C-HUB <input type="checkbox"/> UP /mm DOWN /mm	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHOCK TOWER KIT <input checked="" type="checkbox"/> 4.0mm 3.5mm	SHIM 1 /mm	DRIVE SHAFT <input checked="" type="checkbox"/> KIT /mm	SHIM 3 /mm
STEERING BLOCK MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	ARM MOUNT 0° <input type="checkbox"/> KIT 0° <input type="checkbox"/> ALU -3° <input type="checkbox"/> ALU +3° <input checked="" type="checkbox"/> ALU 0° <input type="checkbox"/> BRASS TOTAL 27.5 KICK-UP°	FRONT WING YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	SHIM 4 /mm ACKERMANN SHIM 1 /mm CASTER BUSHINGS 0° 2.5° 5° <input checked="" type="checkbox"/>	WING TYPE Lush CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	REAR TOE	BATTERY PLACEMENT	WHEELBASE	ROLL CENTER	STEERING	SERVO POSITION	BATTERY SIZE	UPPER BRACE	COOLING
1	IN	LONG SIDE FRONT	1 /mm	KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	PLATE <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/>	1 2	<input checked="" type="checkbox"/> STD. SHORT <input type="checkbox"/> LOW SHORT	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
OFFSET 0 /slots	OFFSET 4 /slots				ARMS <input type="checkbox"/> KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>				

FRONT	REAR
ROLL CENTER SUSPENSION HOLDERS RF 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/>	#323326 ALU REAR LOWER SUSPENSION HOLDER 1° - REAR
Raising the suspension holders with shims.	Raising the suspension holders with shims.

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
-2°	-2°	
GLUING SIDEWALL YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CUTTING PINS IN <input type="checkbox"/> OUT <input type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	RISE HEIGHT 17 /mm	RISE HEIGHT 17 /mm

SERVO WEIGHT	LOWER ECCENTRIC SHOCK BALL	ARM SHIM	CHASSIS SIZE
STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	2 /mm	<input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MID-SIZE <input type="checkbox"/> LONG
ARM MOUNT BALANCE #293085 HUDY Pure Tungsten Weight - 10g.	BALANCE /g		THICKNESS <input type="checkbox"/> 2.5mm KIT <input checked="" type="checkbox"/> 2.0mm
ELECTRONICS PLATE NO <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> WEIGHT <input type="checkbox"/>			