

# SET-UP SHEET

XRAY XB8'24 SET-UP VER.01 ©XRAY

**XRAY XB8'24 PIVOT BALL**

RACE	Svealandscupen Avesta		
TRACK	Avesta		
NAME	Fredrik Peters	DATE	06/06-24

  

TEMPERATURE AIR	17	TEMPERATURE TRACK	
LAPS		FINAL POSITION	1
		BEST LAPTIME	/sec
		RACE LENGTH	/min

  

TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input checked="" type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS

  

CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET	<input type="checkbox"/> MUD
-----------	---	--------------------------------	------------------------------	------------------------------

  

DIFFERENTIAL			
CASE MATERIAL	FRONT	CENTER	REAR
OIL	10k	15k	5k
CROWN GEAR	46/14		46/14

  

GEARING			
CLUTCH SHOE	3 <input checked="" type="checkbox"/> 4	HARD ALU	
SPRINGS	HARD		
CLUTCH BELL	13	SPUR GEAR	46

  

FRONT	SHOCKS	REAR
Membrane	TYPE	Membrane
4dot	SPRINGS	3dot
Cell soft	MEMBRANE	Cell soft
500	OIL	450

  

STANDARD PISTONS			
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 10 HOLES	<input type="checkbox"/>
<input checked="" type="checkbox"/> 4*1,2 + 4*1,3	OTHER	<input checked="" type="checkbox"/> 4*1,2 + 4*1,3	<input type="checkbox"/>

  

VALVE PISTONS			
<input type="checkbox"/> 5+2 HOLES	<input type="checkbox"/> 1.5 mm	<input type="checkbox"/> 5+2 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 6+2 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 6+2 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 8+2 HOLES	<input type="checkbox"/> 1.4 mm	<input type="checkbox"/> 8+2 HOLES	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/>	<input type="checkbox"/>

  

FRONT	ANTI-ROLL BAR	REAR
2,2	THICKNESS	2,4

  

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

  

ENGINE	
TYPE	FX K502
MUFFLER	2131
MANIFOLD	Medium
PLUG	
FUEL	

  

BODY	OTHER	TOTAL WEIGHT
EASY		
EASY LIGHT		/g

FRONT	REAR
-------	------

  

STEERING BLOCK	UPPER ARM SHIM /mm	FRONT SHOCK TOWERS	REAR SHOCK TOWERS	ANTI-ROLL BAR	UPRIGHT
MEDIUM <input type="checkbox"/>	0 <input type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input checked="" type="checkbox"/> 2 <input type="checkbox"/>	ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	ALU <input checked="" type="checkbox"/>	1 2	MEDIUM <input type="checkbox"/>
HARD <input checked="" type="checkbox"/>					HARD <input checked="" type="checkbox"/>
GRAPHITE <input type="checkbox"/>					GRAPHITE <input type="checkbox"/>

  

PIVOT BALLS	UPPER ARM WING	UPPER SHOCK POSITION	UPRIGHT ROLL CENTER
UP STEEL <input type="checkbox"/> ALU <input type="checkbox"/>	NONE <input checked="" type="checkbox"/>	1 2 3 4 5 6 7 8	1 2 3
DOWN STEEL <input type="checkbox"/> ALU <input type="checkbox"/>	LEXAN <input type="checkbox"/>		
	CARBON <input type="checkbox"/>		

  

OFFSET	PIVOT NUT	FRONT LOWER SHOCK POSITION	LOWER ARM SHIM	REAR LOWER SHOCK POSITION	REAR DROOP
0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input type="checkbox"/>	ALU <input type="checkbox"/>	2 1	0 <input checked="" type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/>	1 2 3 4	MEASURE UNDER WHEEL AXLE #107717 GAUGE
	BRASS <input type="checkbox"/>				

  

FRONT DROOP	MEASURE UNDER WHEEL AXLE #107717 GAUGE	REAR DROOP	MEASURE UNDER WHEEL AXLE #107717 GAUGE
-------------	--	------------	--

  

FRONT	REAR
-------	------

  

UPPER ROLL CENTER	CASTER SHIM	REAR WING	WING HOLDER
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	0 <input type="checkbox"/> 1.0 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 2.0 <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	FRONT <input type="checkbox"/>
	UPPER ARM POSITION	LEXAN <input type="checkbox"/>	REAR <input type="checkbox"/>
		OTHER	

  

BUMP STEER SHIM	WHEELBASE SHIM POSITION	WHEELBASE SHIM POSITION
STER. PLATE 0 /mm	0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm <input type="checkbox"/>	0mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 4mm <input type="checkbox"/>
STER. BLOCK 0 /mm	SHIMS BEHIND FRONT ARM	SHIMS IN FRONT OF REAR ARM
SHIMS PLACE ALWAYS UNDER		

  

LOWER ROLL CENTER	REAR ROLL CENTER
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>

  

FRONT TOE OUT	STEERING PLATE	CHASSIS	WHEELBASE	REAR TOE IN
1,5	1 DOTS <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>	KIT <input checked="" type="checkbox"/>	0mm <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> 4mm <input type="checkbox"/>	3
		LONG +4mm <input type="checkbox"/>	SHIMS IN FRONT OF UPRIGHT	

  

FRONT DRIVE SHAFT	SERVO SAVER	SIDE GUARD	RADIO CASE	REAR DRIVE SHAFT
CVD <input type="checkbox"/>	TIGHT <input checked="" type="checkbox"/>	SOFT <input type="checkbox"/>	SOFT <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CVD <input type="checkbox"/>
UNIVERSAL <input checked="" type="checkbox"/>	MEDIUM <input type="checkbox"/>	MEDIUM <input checked="" type="checkbox"/>		UNIVERSAL <input type="checkbox"/>
LENGTH /mm	SOFT <input type="checkbox"/>	CARBON <input type="checkbox"/>		LENGTH /mm

  

TOP DECK	DIFF PLATE	CARBON SIDE BRACE	DRIVE SHAFT
COMPOSITE <input checked="" type="checkbox"/>	COMP. <input checked="" type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/>
CARBON <input type="checkbox"/>			DOGBONE <input type="checkbox"/>

  

FRONT	REAR
-------	------

  

FRONT CAMBER	FULL TRAVEL SHOCKS LENGTH	REAR CAMBER
2	106 /mm	2

  

UPPER ARM	FRONT DIFF HEIGHT	REAR DIFF HEIGHT
SOFT <input type="checkbox"/>	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8
MEDIUM <input checked="" type="checkbox"/>		
GRAPHITE <input type="checkbox"/>		

  

LOWER ARM	FRONT RIDE HEIGHT	REAR RIDE HEIGHT
SOFT <input type="checkbox"/>	22 /mm	26 /mm
MEDIUM <input checked="" type="checkbox"/>		
GRAPHITE <input type="checkbox"/>		