

SET-UP SHEET

SET-UP VER.01 ©XRAY

XRAY XB8E'24 PIVOT BALL

RACE			
TRACK			
NAME		DATE	
TEMPERATURE AIR		TEMPERATURE TRACK	
LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
		/sec	/min

TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> MUD

DIFFERENTIAL			
FRONT	CENTER	REAR	
CASE MATERIAL			CASE MATERIAL
OIL	10	20	5
CROWN GEAR			CROWN GEAR

GEARING			
MOTOR PINION	17	/T	46
			SPUR GEAR

FRONT	SHOCKS	REAR
4 dot	TYPE	3 dot
	SPRINGS	
	MEMBRANE	
35wt /cSt	OIL	27.5wt /cSt
<input type="checkbox"/> 6 HOLES	PISTONS	<input type="checkbox"/> 6 HOLES
<input type="checkbox"/> 8 HOLES	1.1 mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	1.2 mm	<input type="checkbox"/> 10 HOLES
	1.3 mm	
	1.4 mm	
5h 3/1.4 2/1.5	OTHER	5h 3/1.5 2/1.6
VALVE PISTONS		
5+2 HOLES	1.5 mm	5+2 HOLES
6+2 HOLES	1.3 mm	6+2 HOLES
8+2 HOLES	1.4 mm	8+2 HOLES
	1.2 mm	
	1.3 mm	

FRONT	ANTI-ROLL BAR	REAR
	THICKNESS	
	/mm	/mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS	
MOTOR	
SPEEDO	
BATTERY TYPE	shorty mounted centre
STANDARD BATTERY	SHORT BATTERY
FRONT	REAR
STANDARD BATTERY	SHORT BATTERY

BODY	OTHER	TOTAL WEIGHT
EASY		/g
EASY LIGHT		

FRONT	REAR
STEERING BLOCK	UPRIGHT
MEDIUM <input type="checkbox"/>	MEDIUM <input type="checkbox"/>
HARD <input type="checkbox"/>	HARD <input type="checkbox"/>
GRAPHITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>
UPPER ARM SHIM /mm	UPPER ARM WING
0 <input type="checkbox"/> 1 <input checked="" type="checkbox"/> 1.5 <input type="checkbox"/> 2 <input type="checkbox"/>	NONE <input checked="" type="checkbox"/>
	LEXAN <input type="checkbox"/>
	CARBON <input type="checkbox"/>
PIVOT BALLS	UPPER SHOCK POSITION
UP STEEL <input type="checkbox"/> ALU <input type="checkbox"/>	1 2 3 4 5 6 7 8
DOWN STEEL <input type="checkbox"/> ALU <input type="checkbox"/>	1 2 3 4
OFFSET	REAR SHOCK POSITION
0 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +2 <input type="checkbox"/>	1 2 3 4
PIVOT NUT	UPRIGHT ROLL CENTER
ALU <input type="checkbox"/>	1 2 3
BRASS <input type="checkbox"/>	REAR ROLL CENTER
FRONT DROOP	UPRIGHT LOWER ROLL CENTER
8	1 2 3
MEASURE UNDER WHEEL AXLE	REAR DROOP
#107717 GAUGE	16
	MEASURE UNDER WHEEL AXLE
	#107717 GAUGE

FRONT	REAR
UPPER ROLL CENTER	REAR WING
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
1° <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/>	LEXAN <input checked="" type="checkbox"/>
	OTHER
	FRONT MIDDLE REAR
CASTER SHIM	WING HOLDER
0 1.0 1.0 2.0	FRONT <input checked="" type="checkbox"/>
UPPER ARM POSITION	REAR <input type="checkbox"/>
BUMP STEER SHIM	
STEERING PLATE 0 /mm	
STEERING BLOCK 0 /mm	
SHIMS PLACE ALWAYS UNDER	
WHEELBASE SHIM POSITION	
0mm 2mm 4mm	
SHIMS BEHIND FRONT ARM	
WHEELBASE SHIM POSITION	
0mm 2mm 4mm	
SHIMS IN FRONT OF REAR ARM	
LOWER ROLL CENTER	
ECCENTRIC BUSHINGS	

FRONT	REAR
+3 FRONT TOE OUT	-2 REAR TOE IN
STEERING PLATE	CHASSIS
1 DOTS <input checked="" type="checkbox"/> 2 DOTS <input type="checkbox"/>	KIT <input checked="" type="checkbox"/>
	LONG +4mm
WHEELBASE	
0mm 1mm 2mm 3mm 4mm	
SHIMS IN FRONT OF UPRIGHT	
SERVO SAVER	SIDE GUARD
TIGHT <input checked="" type="checkbox"/>	SOFT <input type="checkbox"/>
MEDIUM <input type="checkbox"/>	MEDIUM <input checked="" type="checkbox"/>
SOFT <input type="checkbox"/>	CARBON <input type="checkbox"/>
GRAPHITE BRACE	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
FRONT DRIVE SHAFT	REAR DRIVE SHAFT
CVD <input checked="" type="checkbox"/>	CVD <input type="checkbox"/>
UNIVERSAL <input type="checkbox"/>	UNIVERSAL <input checked="" type="checkbox"/>
LENGTH 91.5 /mm	LENGTH 91.5 /mm
TOP DECK	DRIVE SHAFT
COMPOSITE <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/>
CARBON <input type="checkbox"/>	DOGBONE <input type="checkbox"/>
ACKERMANN POSITION	
4 3 2 1	
FRONT BULKHEADS	

FRONT	REAR
-2 FRONT CAMBER	106 /mm
LENGTH	FULL TRAVEL SHOCKS LENGTH
	125 /mm
UPPER ARM	REAR CAMBER
SOFT <input type="checkbox"/>	-2
MEDIUM <input type="checkbox"/>	LENGTH
GRAPHITE <input checked="" type="checkbox"/>	
LOWER ARM	
SOFT <input type="checkbox"/>	
MEDIUM <input type="checkbox"/>	
GRAPHITE <input checked="" type="checkbox"/>	
FRONT DIFF HEIGHT	
1 2 3 4	
REAR DIFF HEIGHT	
1 2 3 4	
RIDE HEIGHT 23 /mm	27 /mm
#107717 RIDE HEIGHT GAUGE	