

SET-UP SHEET

X4F'25 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'25

RACE	ETS RD.3		
TRACK	Mini circuit ville de Luxembourg LMCC		
NAME	Jacques Libar	DATE	08/09/24

TRACK TEMP.	QUAL. POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
/	1	2	23.6 /sec	/ /	/

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFFERENTIAL - OIL 150K /cSt		
PINION / T 38	SPUR GEAR / T 90	FINAL DRIVE RATIO 4.5

FRONT	SHOCKS	REAR
2.6-2.9	XRAY SPRINGS	2.6
300	OIL /Cst	300
REBOUND %		

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm		SHOCK LENGTH 8.5 /mm	

1.4 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.6
-------------------------	----------------------	-------------------------

ETS	TIRES	ETS
MR33 V3	ADDITIVE	MR33 V3
20 min	ADDITIVE TIMING	20 min
/	WIPE OFF TIME	/
Timing: 20	Temp.: 70	Timing: 20
TIRE WARMERS		

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1256 /g	WEIGHT BALANCE	FRONT 64 %	REAR 36 %
--------------	----------------	----------------	-------------------	------------------

MOTOR	ETS	TIMING	17.5
ESC	ETS	BATTERIES	Nosram 4200/ Cayote 5000
BODY	Gorilla Max	WING	std

Dimension from body post to window bottom line /mm		BODY POSITION
Dimension from body post to upper holder /mm		WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Dimension from edge to surface /mm		

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
TOP DECK CUTTING					
TOP DECK FLEX					

COMMENTS	
----------	--

FRONT & REAR SUSPENSION	
FRONT CASTER <input type="checkbox"/> 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 1 /mm HEIGHT 19 /mm SHIM 4 /mm	TOE GAIN 5 /mm
2 /mm FF 5.0 /mm RIDE HEIGHT FR 2 /mm <input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN	2 /mm RF 5.2 /mm RIDE HEIGHT RR 2 /mm

FRONT	REAR
2 /deg CAMBER Left = Right	2 /deg CAMBER Left = Right
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	SHOCK HOLDERS SHIM 2 /mm
SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input checked="" type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input checked="" type="checkbox"/> BLADE	SHIM .5 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 5.6 /mm DOWNSTOP

FRONT	REAR
2 /deg CAMBER Left = Right	2 /deg CAMBER Left = Right
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	SHOCK HOLDERS SHIM 2 /mm
SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SUSPENSION FLEX YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP

FRONT	TOP VIEW	REAR
0.5 TOE OUT Left = Right	2 TOE IN Left = Right	
DIFF POSITION UP <input checked="" type="checkbox"/> +1mm <input type="checkbox"/> DOWN <input type="checkbox"/> STD. <input type="checkbox"/>	SHIMS 0 /mm	ARS LINKS SHIMS kit /mm
UPPER ARM COMPOSITE <input checked="" type="checkbox"/> EXTRA SOFT <input type="checkbox"/> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/>	UPPER ARM COMPOSITE <input checked="" type="checkbox"/> EXTRA SOFT <input type="checkbox"/> SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/>	
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm	

FRONT	BOTTOM VIEW	REAR
WEIGHT LEFT & RIGHT #309826 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
BUMPER WEIGHT 100g YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MOTOR MOUNT	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>