

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Segrate games		
TRACK	Nuova games Segrate		
NAME	Razzali A.P.	DATE	20.9.24

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
3	2	21.8 /sec	13	4.49

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input checked="" type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
48 /T	90 /T	3.5

FRONT	SHOCKS	REAR
2.6	XRAY SPRINGS	2.7
250	OIL /Cst	250
100	REBOUND %	100
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.1mm
<input type="checkbox"/> PSS <input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS <input type="checkbox"/> 1.2mm
SHOCK LENGTH	8,5 /mm	SHOCK LENGTH
8,5 /mm		8,5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	No
-----	--------------	---------------	--------------	----

Team power 34M	TIRES	
Only wd40	ADDITIVE	For cleaning
15	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

TOTAL WEIGHT	1280 /g	WEIGHT BALANCE	FRONT 51 % REAR 49 %
--------------	---------	----------------	----------------------

MOTOR	Ruddog 17.5	TIMING	
ESC	Nosram hd	BATTERIES	MDB racing 6000
BODY	Speciale L	WING	Speciale L

65 /mm	Dimension from body post to window bottom line	BODY POSITION
7 /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input type="checkbox"/>
	Dimension from edge to surface	

1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	
X4'23 <input checked="" type="checkbox"/>	
X4'22 <input type="checkbox"/>	
X4'22 <input type="checkbox"/>	
NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2 /mm FF	5 /mm FR	2 /mm RF
5 /mm	2 /mm	5 /mm
2 /mm	5 /mm	2 /mm

1 /degr. CAMBER	FRONT SUSPENSION	FRONT HUB
Left = Right		
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	HARD <input checked="" type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>
	DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>
	BEARING BLADE	SHIM 0.5 /mm
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		5.4 /mm DOWNSTOP

2 /degr. CAMBER	REAR SUSPENSION	REAR HUB
Left = Right		
BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SHOCK POSITION	HARD <input checked="" type="checkbox"/>
		GRAPHITE <input type="checkbox"/>
		ALU <input type="checkbox"/>
	DRIVE SHAFT 52mm <input checked="" type="checkbox"/> 54mm <input checked="" type="checkbox"/>	SHIM 0.5 /mm
	BEARING BLADE	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
		4.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	-2 TOE IN Left = Right
ACKERMANN SHIM 1.5 /mm	SHIM 1 /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm
HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 25 /degr.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE FR RE	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>